



Target Species

Based on 195,383 complete checklists

408 species observed in Oregon, US (region/US-OR) in **Apr** that you need for your **Oregon Life List**

1. American Robin	51.07% frequency
2. Song Sparrow	44.53%
3. American Crow	40.46%
4. Mallard	34.93%
5. Spotted Towhee	33.24%
6. Northern Flicker	32.90%
7. European Starling	32.45%
8. Red-winged Blackbird	31.98%
9. Black-capped Chickadee	31.64%
10. Canada Goose	31.60%
11. Dark-eyed Junco	31.01%
12. White-crowned Sparrow	29.78%
13. Yellow-rumped Warbler	29.05%
14. House Finch	27.91%
15. California Scrub-Jay	26.14%
16. Steller's Jay	24.28%
17. Turkey Vulture	24.09%
18. Tree Swallow	23.32%
19. Anna's Hummingbird	23.10%

20.	Violet-green Swallow	21.93%
21.	Golden-crowned Sparrow	21.89%
22.	Orange-crowned Warbler	19.81%
23.	Lesser Goldfinch	19.80%
24.	Ruby-crowned Kinglet	18.62%
25.	Mourning Dove	18.07%
26.	Bewick's Wren	17.87%
27.	Red-tailed Hawk	16.95%
28.	Bushtit	16.14%
29.	Red-breasted Nuthatch	15.99%
30.	Bufflehead	15.78%
31.	Common Raven	15.64%
32.	Pine Siskin	14.82%
33.	Downy Woodpecker	14.27%
34.	Killdeer	14.05%
35.	Purple Finch	13.97%
36.	Great Blue Heron	13.61%
37.	Eurasian Collared-Dove	13.54%
38.	Green-winged Teal	13.38%
39.	Bald Eagle	13.34%
40.	Barn Swallow	13.18%
41.	American Goldfinch	12.57%
42.	Common Yellowthroat	12.56%
43.	American Coot	12.50%

44. Chestnut-backed Chickadee	12.43%
45. Northern Shoveler	12.08%
46. House Sparrow	12.07%
47. Brewer's Blackbird	12.03%
48. Osprey	11.60%
49. Ring-necked Duck	11.41%
50. Rufous Hummingbird	11.31%
51. Gadwall	10.83%
52. Savannah Sparrow	9.87%
53. American Wigeon	9.38%
54. Brown Creeper	9.24%
55. Cackling Goose	9.16%
56. Brown-headed Cowbird	8.96%
57. Double-crested Cormorant	8.84%
58. Pacific Wren	8.58%
59. Western Meadowlark	8.10%
60. White-breasted Nuthatch	7.77%
61. Wood Duck	7.53%
62. Red-breasted Sapsucker	7.53%
63. American Kestrel	7.46%
64. Greater Yellowlegs	7.40%
65. Pied-billed Grebe	6.94%
66. Cinnamon Teal	6.93%
67. Lesser Scaup	6.80%

68.	Northern Harrier	6.79%
69.	Marsh Wren	6.27%
70.	Wilson's Warbler	5.99%
71.	Band-tailed Pigeon	5.98%
72.	Black-throated Gray Warbler	5.94%
73.	Northern Pintail	5.83%
74.	Cliff Swallow	5.82%
75.	California Quail	5.68%
76.	Hairy Woodpecker	5.62%
77.	Golden-crowned Kinglet	5.58%
78.	Acorn Woodpecker	5.48%
79.	Ruddy Duck	5.33%
80.	Rock Pigeon	5.14%
81.	Belted Kingfisher	5.09%
82.	Lincoln's Sparrow	5.06%
83.	Common Merganser	4.95%
84.	Great Egret	4.88%
85.	Western Gull	4.79%
86.	Vaux's Swift	4.72%
87.	Evening Grosbeak	4.70%
88.	Hermit Thrush	4.57%
89.	Western Bluebird	4.54%
90.	Varied Thrush	4.34%
91.	Fox Sparrow	4.07%

92.	Mountain Chickadee	4.02%
93.	Greater White-fronted Goose	3.98%
94.	Least Sandpiper	3.91%
95.	Black-billed Magpie	3.88%
96.	Northern Rough-winged Swallow	3.79%
97.	Townsend's Warbler	3.74%
98.	Cooper's Hawk	3.61%
99.	Pileated Woodpecker	3.52%
100.	Dunlin	3.48%
101.	Hooded Merganser	3.44%
102.	Wilson's Snipe	3.40%
103.	Hutton's Vireo	3.32%
104.	Wild Turkey	3.27%
105.	Ring-billed Gull	3.14%
106.	Wrentit	2.97%
107.	Chipping Sparrow	2.93%
108.	Common Loon	2.82%
109.	Surf Scoter	2.79%
110.	Black Phoebe	2.75%
111.	Pelagic Cormorant	2.73%
112.	Yellow-headed Blackbird	2.72%
113.	Sandhill Crane	2.69%
114.	Nashville Warbler	2.59%
115.	Ring-necked Pheasant	2.58%

116.	Northern House Wren	2.55%
117.	Western Grebe	2.50%
118.	American White Pelican	2.49%
119.	Pygmy Nuthatch	2.48%
120.	Glaucous-winged Gull	2.46%
121.	Caspian Tern	2.44%
122.	Virginia Rail	2.25%
123.	Black-headed Grosbeak	2.19%
124.	Western Sandpiper	2.18%
125.	Black-necked Stilt	2.07%
126.	California Gull	2.06%
127.	Common Goldeneye	1.96%
128.	White-throated Sparrow	1.96%
129.	Red Crossbill	1.96%
130.	Cassin's Vireo	1.94%
131.	Great Horned Owl	1.92%
132.	Townsend's Solitaire	1.88%
133.	Pigeon Guillemot	1.87%
134.	Long-billed Dowitcher	1.73%
135.	Cedar Waxwing	1.73%
136.	Sora	1.71%
137.	Western Flycatcher	1.68%
138.	Warbling Vireo	1.67%
139.	Say's Phoebe	1.61%

140.	Cassin's Finch	1.60%
141.	Redhead	1.59%
142.	Canvasback	1.56%
143.	Long-billed Curlew	1.55%
144.	Hammond's Flycatcher	1.54%
145.	Horned Grebe	1.51%
146.	Sharp-shinned Hawk	1.48%
147.	Purple Martin	1.47%
148.	Red-shouldered Hawk	1.45%
149.	Mountain Bluebird	1.45%
150.	American Pipit	1.43%
151.	Whimbrel	1.37%
152.	Eared Grebe	1.36%
153.	Western Kingbird	1.32%
154.	Greater Scaup	1.31%
155.	American Avocet	1.26%
156.	Willet	1.24%
157.	Common Murre	1.23%
158.	Brandt's Cormorant	1.23%
159.	Black-bellied Plover	1.21%
160.	Red-breasted Merganser	1.20%
161.	Western Tanager	1.18%
162.	Snow Goose	1.14%
163.	Horned Lark	1.14%

164.	Black Oystercatcher	1.10%
165.	Peregrine Falcon	1.10%
166.	Swainson's Hawk	1.09%
167.	Oak Titmouse	1.07%
168.	Spotted Sandpiper	1.06%
169.	Red-necked Grebe	1.06%
170.	Semipalmated Plover	1.05%
171.	Yellow Warbler	1.02%
172.	MacGillivray's Warbler	0.9648%
173.	Short-billed Gull	0.9494%
174.	American Bittern	0.8977%
175.	White-faced Ibis	0.8895%
176.	Pacific Loon	0.8578%
177.	Bullock's Oriole	0.8532%
178.	Vesper Sparrow	0.8194%
179.	Golden Eagle	0.8102%
180.	Lesser Yellowlegs	0.8020%
181.	Green Heron	0.7529%
182.	Merlin	0.7334%
183.	Red-throated Loon	0.7017%
184.	Sooty Grouse	0.6976%
185.	Mountain Quail	0.6828%
186.	Clark's Grebe	0.6654%
187.	Northern Pygmy-Owl	0.6628%

188.	Harlequin Duck	0.6577%
189.	American Dipper	0.6490%
190.	Brown Pelican	0.6449%
191.	White-winged Scoter	0.6408%
192.	Tundra Swan	0.6341%
193.	Hermit Warbler	0.6300%
194.	Short-billed Dowitcher	0.6290%
195.	Canada Jay	0.6121%
196.	Loggerhead Shrike	0.5773%
197.	Franklin's Gull	0.5681%
198.	Bonaparte's Gull	0.5666%
199.	Black Turnstone	0.5645%
200.	Sage Thrasher	0.5482%
201.	California Towhee	0.5451%
202.	Calliope Hummingbird	0.5436%
203.	Canyon Wren	0.5307%
204.	Eurasian Wigeon	0.5210%
205.	Brant	0.4990%
206.	Lewis's Woodpecker	0.4980%
207.	Ross's Goose	0.4960%
208.	American Herring Gull	0.4954%
209.	Marbled Godwit	0.4642%
210.	Barred Owl	0.4632%
211.	Western Screech-Owl	0.4601%

212.	Dusky Flycatcher	0.4596%
213.	Prairie Falcon	0.4371%
214.	Solitary Sandpiper	0.4325%
215.	Rock Wren	0.4294%
216.	Barrow's Goldeneye	0.4258%
217.	Sanderling	0.4212%
218.	Ruffed Grouse	0.4171%
219.	Blue-winged Teal	0.4141%
220.	Trumpeter Swan	0.3987%
221.	Ferruginous Hawk	0.3823%
222.	Blue-gray Gnatcatcher	0.3767%
223.	Lark Sparrow	0.3706%
224.	Williamson's Sapsucker	0.3654%
225.	Red-necked Phalarope	0.3532%
226.	Rhinoceros Auklet	0.3332%
227.	Black-crowned Night Heron	0.3296%
228.	Chukar	0.3127%
229.	White-headed Woodpecker	0.3112%
230.	Forster's Tern	0.3086%
231.	Black Scoter	0.3071%
232.	Lazuli Bunting	0.2999%
233.	Rough-legged Hawk	0.2979%
234.	Bank Swallow	0.2963%
235.	Clark's Nutcracker	0.2923%

236.	Pinyon Jay	0.2866%
237.	Brewer's Sparrow	0.2692%
238.	Tufted Puffin	0.2615%
239.	Sooty Shearwater	0.2595%
240.	Surfbird	0.2569%
241.	Olive-sided Flycatcher	0.2549%
242.	Gray Flycatcher	0.2487%
243.	American Barn Owl	0.2462%
244.	White-throated Swift	0.2257%
245.	Red-naped Sapsucker	0.2237%
246.	Marbled Murrelet	0.2093%
247.	Tricolored Blackbird	0.2093%
248.	Snowy Plover	0.2052%
249.	Sagebrush Sparrow	0.1766%
250.	Black-footed Albatross	0.1730%
251.	Ash-throated Flycatcher	0.1541%
252.	Burrowing Owl	0.1520%
253.	Northern Mockingbird	0.1505%
254.	Northern Saw-whet Owl	0.1495%
255.	Short-eared Owl	0.1479%
256.	Wilson's Phalarope	0.1469%
257.	Greater Sage-Grouse	0.1377%
258.	Fork-tailed Storm-Petrel	0.1290%
259.	Iceland Gull	0.1285%

260.	Murphy's Petrel	0.1285%
261.	Sabine's Gull	0.1249%
262.	Great-tailed Grackle	0.1131%
263.	Western Wood-Pewee	0.1065%
264.	Black-backed Woodpecker	0.1044%
265.	Yellow-breasted Chat	0.1039%
266.	Red Knot	0.0967%
267.	Northern Fulmar	0.0906%
268.	Cassin's Auklet	0.0850%
269.	Great Gray Owl	0.0824%
270.	Harris's Sparrow	0.0793%
271.	American Goshawk	0.0788%
272.	Long-tailed Duck	0.0742%
273.	Leach's Storm-Petrel	0.0727%
274.	White-tailed Kite	0.0727%
275.	Pink-footed Shearwater	0.0722%
276.	Black-legged Kittiwake	0.0676%
277.	Snowy Egret	0.0573%
278.	Gray Partridge	0.0496%
279.	Red Phalarope	0.0491%
280.	Ruddy Turnstone	0.0471%
281.	Baird's Sandpiper	0.0450%
282.	Glaucous Gull	0.0450%
283.	Swamp Sparrow	0.0440%

284.	Grasshopper Sparrow	0.0435%
285.	Palm Warbler	0.0410%
286.	Swainson's Thrush	0.0399%
287.	Wandering Tattler	0.0389%
288.	Green-tailed Towhee	0.0363%
289.	Common Poorwill	0.0358%
290.	Long-tailed Jaeger	0.0348%
291.	Northern Shrike	0.0338%
292.	Allen's Hummingbird	0.0333%
293.	Ruff	0.0317%
294.	California Thrasher	0.0297%
295.	Tufted Duck	0.0292%
296.	Lapland Longspur	0.0281%
297.	Long-eared Owl	0.0271%
298.	Pacific Golden-Plover	0.0266%
299.	Spotted Owl	0.0210%
300.	Laughing Gull	0.0205%
301.	Laysan Albatross	0.0205%
302.	Pomarine Jaeger	0.0200%
303.	Clay-colored Sparrow	0.0200%
304.	Common Crane	0.0194%
305.	Common Tern	0.0194%
306.	Dusky Grouse	0.0174%
307.	Parasitic Jaeger	0.0164%

308.	White Wagtail	0.0159%
309.	Semipalmated Sandpiper	0.0138%
310.	Black-chinned Hummingbird	0.0133%
311.	Ancient Murrelet	0.0128%
312.	Gray-crowned Rosy-Finch	0.0128%
313.	Tundra Bean-Goose	0.0123%
314.	Rock Sandpiper	0.0118%
315.	Western Cattle-Egret	0.0118%
316.	Blue Jay	0.0108%
317.	Blue Grosbeak	0.0108%
318.	Costa's Hummingbird	0.0097%
319.	Arctic Tern	0.0092%
320.	Pine Grosbeak	0.0092%
321.	Emperor Goose	0.0082%
322.	American Three-toed Woodpecker	0.0082%
323.	Steller's Eider	0.0077%
324.	Hawaiian Petrel	0.0077%
325.	Indigo Bunting	0.0077%
326.	Black-and-white Warbler	0.0072%
327.	Field Sparrow	0.0066%
328.	Parakeet Auklet	0.0061%
329.	Black Tern	0.0056%
330.	Yellow-billed Loon	0.0056%
331.	Juniper Titmouse	0.0056%

332.	Yellow-bellied Sapsucker	0.0051%
333.	Tennessee Warbler	0.0051%
334.	Rose-breasted Grosbeak	0.0051%
335.	Heermann's Gull	0.0046%
336.	Manx Shearwater	0.0046%
337.	Horned Puffin	0.0041%
338.	Slaty-backed Gull	0.0041%
339.	Cook's Petrel	0.0041%
340.	Hooded Oriole	0.0041%
341.	Dickcissel	0.0041%
342.	Pectoral Sandpiper	0.0036%
343.	Vermilion Flycatcher	0.0031%
344.	Redpoll	0.0031%
345.	Snow Bunting	0.0031%
346.	Rustic Bunting	0.0031%
347.	Common Eider	0.0026%
348.	Lesser Nighthawk	0.0026%
349.	Willow Flycatcher	0.0026%
350.	Tropical Kingbird	0.0026%
351.	White-winged Crossbill	0.0026%
352.	American Golden-Plover	0.0021%
353.	Flesh-footed Shearwater	0.0021%
354.	Short-tailed Shearwater	0.0021%
355.	Snowy Owl	0.0021%

356.	Gyr Falcon	0.0021%
357.	Lawrence's Goldfinch	0.0021%
358.	Black-throated Blue Warbler	0.0021%
359.	White-winged Dove	0.0015%
360.	Flammulated Owl	0.0015%
361.	Gray Catbird	0.0015%
362.	Brown Thrasher	0.0015%
363.	Bohemian Waxwing	0.0015%
364.	American Tree Sparrow	0.0015%
365.	Magnolia Warbler	0.0015%
366.	Falcated Duck	0.0010%
367.	Common Gallinule	0.0010%
368.	Boreal Owl	0.0010%
369.	Chestnut-collared Longspur	0.0010%
370.	Black-throated Sparrow	0.0010%
371.	Northern Waterthrush	0.0010%
372.	Northern Parula	0.0010%
373.	American Black Duck	0.0005%
374.	Spruce Grouse	0.0005%
375.	Chimney Swift	0.0005%
376.	Broad-tailed Hummingbird	0.0005%
377.	Yellow Rail	0.0005%
378.	Bar-tailed Godwit	0.0005%
379.	Little Gull	0.0005%

380.	Elegant Tern	0.0005%
381.	Short-tailed Albatross	0.0005%
382.	Mottled Petrel	0.0005%
383.	Glossy Ibis	0.0005%
384.	Eastern Phoebe	0.0005%
385.	Eastern Kingbird	0.0005%
386.	Winter Wren	0.0005%
387.	Brambling	0.0005%
388.	Bobolink	0.0005%
389.	Orchard Oriole	0.0005%
390.	Baltimore Oriole	0.0005%
391.	Summer Tanager	0.0005%
392.	King Eider	0.0000%
393.	Sharp-tailed Grouse	0.0000%
394.	Black Swift	0.0000%
395.	Thick-billed Murre	0.0000%
396.	Black Skimmer	0.0000%
397.	Ashy Storm-Petrel	0.0000%
398.	Cocos Booby	0.0000%
399.	Least Bittern	0.0000%
400.	Red-bellied Woodpecker	0.0000%
401.	Crested Caracara	0.0000%
402.	Blue-headed Vireo	0.0000%
403.	Red-throated Pipit	0.0000%

404. Little Bunting	0.0000%
405. Lark Bunting	0.0000%
406. Eastern Towhee	0.0000%
407. Common Grackle	0.0000%
408. Yellow-throated Warbler	0.0000%

EXOTIC: ESCAPEE

Muscovy Duck	0.0716% frequency
Graylag Goose	0.0440%
Mute Swan	0.0353%
Indian Peafowl	0.0261%
Swan Goose	0.0179%
Mandarin Duck	0.0061%
Northern Bobwhite	0.0031%
Red Junglefowl	0.0031%
Black Swan	0.0015%
Helmeted Guineafowl	0.0015%
Red-breasted Goose	0.0005%
African Collared-Dove	0.0005%
Budgerigar	0.0000%
Monk Parakeet	0.0000%

HYBRIDS

Western x Glaucous-winged Gull (hybrid)	0.5062% frequency
Red-naped x Red-breasted Sapsucker (hybrid)	0.0502%
Eurasian x American Wigeon (hybrid)	0.0389%

Rufous x Allen's Hummingbird (hybrid)	0.0333%
Blue-winged x Cinnamon Teal (hybrid)	0.0184%
American Herring x Glaucous-winged Gull (hybrid)	0.0174%
Blue-winged Teal x Northern Shoveler (hybrid)	0.0133%
Graylag x Canada Goose (hybrid)	0.0123%
Domestic goose sp. x Canada Goose (hybrid)	0.0113%
Townsend's x Hermit Warbler (hybrid)	0.0097%
White-crowned x Golden-crowned Sparrow (hybrid)	0.0082%
Mallard x Northern Pintail (hybrid)	0.0061%
Anna's x Rufous Hummingbird (hybrid)	0.0056%
Glaucous x Glaucous-winged Gull (hybrid)	0.0041%
Western x Clark's Grebe (hybrid)	0.0036%
Canvasback x Redhead (hybrid)	0.0026%
Black-chinned x Rufous Hummingbird (hybrid)	0.0026%
Cinnamon Teal x Northern Shoveler (hybrid)	0.0021%
American Wigeon x Mallard (hybrid)	0.0021%
Snow x Ross's Goose (hybrid)	0.0015%
Muscovy Duck x Mallard (hybrid)	0.0015%
Greater White-fronted x Canada Goose (hybrid)	0.0010%
Wood Duck x Mallard (hybrid)	0.0010%
Ring-necked Duck x Lesser Scaup (hybrid)	0.0010%
Black-chinned x Anna's Hummingbird (hybrid)	0.0010%
American Herring x Glaucous Gull (hybrid)	0.0010%

Yellow-bellied x Red-naped Sapsucker (hybrid)	0.0010%
Greater White-fronted x Cackling Goose (hybrid)	0.0005%
Gadwall x Mallard (hybrid)	0.0005%
American Wigeon x Northern Pintail (hybrid)	0.0005%
Blue-winged x Green-winged Teal (hybrid)	0.0005%
Cinnamon x Green-winged Teal (hybrid)	0.0005%
Tufted Duck x scaup sp. (hybrid)	0.0005%
Common x Barrow's Goldeneye (hybrid)	0.0005%
Common Goldeneye x Hooded Merganser (hybrid)	0.0005%
Eurasian Collared-Dove x Mourning Dove (hybrid)	0.0005%
Anna's x Costa's Hummingbird (hybrid)	0.0005%
Black-chinned x Calliope Hummingbird (hybrid)	0.0005%
MacGillivray's Warbler x Common Yellowthroat (hybrid)	0.0000%
Rose-breasted x Black-headed Grosbeak (hybrid)	0.0000%
Graylag x Swan Goose (hybrid)	0.0000%