



Target Species

Based on 127,960 complete checklists

414 species observed in Oregon, US (region/US-OR) in **Aug** that you need for your **Oregon Life List**

| | |
|---------------------------|------------------|
| 1. American Crow | 33.78% frequency |
| 2. Barn Swallow | 29.91% |
| 3. Black-capped Chickadee | 29.40% |
| 4. American Robin | 27.42% |
| 5. Song Sparrow | 26.50% |
| 6. Northern Flicker | 24.75% |
| 7. California Scrub-Jay | 24.59% |
| 8. Steller's Jay | 23.70% |
| 9. Mallard | 23.47% |
| 10. Turkey Vulture | 23.18% |
| 11. House Finch | 21.26% |
| 12. American Goldfinch | 20.68% |
| 13. Cedar Waxwing | 20.64% |
| 14. Red-breasted Nuthatch | 20.28% |
| 15. Great Blue Heron | 19.60% |
| 16. Spotted Towhee | 19.57% |
| 17. Mourning Dove | 18.89% |
| 18. Anna's Hummingbird | 18.64% |
| 19. Canada Goose | 17.78% |

| | | |
|-----|---------------------------|--------|
| 20. | European Starling | 17.73% |
| 21. | Dark-eyed Junco | 15.69% |
| 22. | Western Wood-Pewee | 15.64% |
| 23. | Lesser Goldfinch | 15.31% |
| 24. | Killdeer | 14.76% |
| 25. | Osprey | 14.45% |
| 26. | Common Raven | 13.65% |
| 27. | Eurasian Collared-Dove | 13.37% |
| 28. | Bewick's Wren | 13.25% |
| 29. | Common Yellowthroat | 13.18% |
| 30. | Chestnut-backed Chickadee | 12.99% |
| 31. | Belted Kingfisher | 12.43% |
| 32. | Least Sandpiper | 11.96% |
| 33. | Downy Woodpecker | 11.50% |
| 34. | Red-tailed Hawk | 11.15% |
| 35. | Violet-green Swallow | 10.88% |
| 36. | Red-winged Blackbird | 10.76% |
| 37. | Great Egret | 10.58% |
| 38. | Western Sandpiper | 10.51% |
| 39. | Double-crested Cormorant | 10.44% |
| 40. | Black-headed Grosbeak | 10.33% |
| 41. | Vaux's Swift | 10.19% |
| 42. | Brown Creeper | 9.80% |
| 43. | California Gull | 9.62% |
















| | | |
|-----|-------------------------|-------|
| 44. | Brewer's Blackbird | 9.62% |
| 45. | Rufous Hummingbird | 9.61% |
| 46. | House Sparrow | 9.02% |
| 47. | Western Gull | 8.92% |
| 48. | Western Tanager | 8.88% |
| 49. | Pied-billed Grebe | 8.86% |
| 50. | Greater Yellowlegs | 8.81% |
| 51. | White-breasted Nuthatch | 8.75% |
| 52. | White-crowned Sparrow | 8.39% |
| 53. | Bushtit | 7.94% |
| 54. | Wood Duck | 7.66% |
| 55. | Spotted Sandpiper | 7.53% |
| 56. | Savannah Sparrow | 6.95% |
| 57. | American Kestrel | 6.82% |
| 58. | Tree Swallow | 6.50% |
| 59. | Wilson's Warbler | 6.45% |
| 60. | Mountain Chickadee | 6.42% |
| 61. | California Quail | 6.02% |
| 62. | Brown Pelican | 6.02% |
| 63. | Swainson's Thrush | 6.00% |
| 64. | Red Crossbill | 5.90% |
| 65. | Pine Siskin | 5.88% |
| 66. | Ring-billed Gull | 5.87% |
| 67. | Purple Martin | 5.86% |

| | | |
|-----|------------------------|-------|
| 68. | Yellow Warbler | 5.72% |
| 69. | Hairy Woodpecker | 5.71% |
| 70. | American Coot | 5.52% |
| 71. | Yellow-rumped Warbler | 5.45% |
| 72. | Rock Pigeon | 5.39% |
| 73. | Cinnamon Teal | 5.27% |
| 74. | Band-tailed Pigeon | 5.26% |
| 75. | Cliff Swallow | 5.14% |
| 76. | Bald Eagle | 5.06% |
| 77. | American White Pelican | 4.98% |
| 78. | Gadwall | 4.77% |
| 79. | Green Heron | 4.70% |
| 80. | Long-billed Dowitcher | 4.69% |
| 81. | Northern Shoveler | 4.67% |
| 82. | Green-winged Teal | 4.59% |
| 83. | Black Phoebe | 4.51% |
| 84. | Caspian Tern | 4.45% |
| 85. | Acorn Woodpecker | 4.39% |
| 86. | Northern Harrier | 4.36% |
| 87. | Common Murre | 4.30% |
| 88. | Pelagic Cormorant | 4.27% |
| 89. | Golden-crowned Kinglet | 4.21% |
| 90. | Orange-crowned Warbler | 4.16% |
| 91. | Semipalmated Plover | 4.16% |

| | | |
|------|-----------------------------|-------|
| 92. | Wrentit | 4.11% |
| 93. | Lesser Yellowlegs | 4.03% |
| 94. | Purple Finch | 3.86% |
| 95. | Pigeon Guillemot | 3.77% |
| 96. | Brown-headed Cowbird | 3.61% |
| 97. | Cooper's Hawk | 3.60% |
| 98. | Northern House Wren | 3.59% |
| 99. | Common Nighthawk | 3.52% |
| 100. | Red-necked Phalarope | 3.48% |
| 101. | Northern Pintail | 3.29% |
| 102. | Pacific Wren | 3.21% |
| 103. | Marsh Wren | 3.21% |
| 104. | Black-throated Gray Warbler | 3.20% |
| 105. | Chipping Sparrow | 3.20% |
| 106. | Pileated Woodpecker | 3.13% |
| 107. | Brandt's Cormorant | 3.10% |
| 108. | Glaucous-winged Gull | 3.02% |
| 109. | Warbling Vireo | 2.92% |
| 110. | Willow Flycatcher | 2.80% |
| 111. | Western Bluebird | 2.63% |
| 112. | Pygmy Nuthatch | 2.55% |
| 113. | Hooded Merganser | 2.54% |
| 114. | Black-billed Magpie | 2.50% |
| 115. | Baird's Sandpiper | 2.47% |

| | | |
|------|-------------------------------|-------|
| 116. | Red-breasted Sapsucker | 2.47% |
| 117. | Olive-sided Flycatcher | 2.43% |
| 118. | Western Flycatcher | 2.38% |
| 119. | Surf Scoter | 2.36% |
| 120. | Red-shouldered Hawk | 2.36% |
| 121. | Canada Jay | 2.35% |
| 122. | Common Merganser | 2.33% |
| 123. | Northern Rough-winged Swallow | 2.32% |
| 124. | Clark's Nutcracker | 2.22% |
| 125. | Western Meadowlark | 2.19% |
| 126. | MacGillivray's Warbler | 2.15% |
| 127. | Western Grebe | 2.11% |
| 128. | Peregrine Falcon | 2.04% |
| 129. | Wilson's Snipe | 2.04% |
| 130. | Virginia Rail | 2.00% |
| 131. | Hutton's Vireo | 1.96% |
| 132. | Ruddy Duck | 1.87% |
| 133. | Bank Swallow | 1.85% |
| 134. | Lazuli Bunting | 1.79% |
| 135. | Cassin's Finch | 1.79% |
| 136. | Heermann's Gull | 1.78% |
| 137. | Yellow-headed Blackbird | 1.72% |
| 138. | Black Oystercatcher | 1.71% |
| 139. | Wild Turkey | 1.66% |

| | | |
|------|------------------------|-------|
| 140. | Great Horned Owl | 1.61% |
| 141. | Hermit Warbler | 1.54% |
| 142. | Cassin's Vireo | 1.53% |
| 143. | Mountain Bluebird | 1.47% |
| 144. | Western Kingbird | 1.41% |
| 145. | Brewer's Sparrow | 1.40% |
| 146. | Evening Grosbeak | 1.39% |
| 147. | Semipalmated Sandpiper | 1.35% |
| 148. | Townsend's Solitaire | 1.32% |
| 149. | Sharp-shinned Hawk | 1.29% |
| 150. | Wilson's Phalarope | 1.27% |
| 151. | Black Turnstone | 1.25% |
| 152. | White-faced Ibis | 1.25% |
| 153. | Blue-winged Teal | 1.17% |
| 154. | Vesper Sparrow | 1.17% |
| 155. | Black-necked Stilt | 1.17% |
| 156. | Short-billed Dowitcher | 1.16% |
| 157. | Pectoral Sandpiper | 1.15% |
| 158. | Ring-necked Duck | 1.13% |
| 159. | American Bittern | 1.13% |
| 160. | Swainson's Hawk | 1.12% |
| 161. | Sanderling | 1.11% |
| 162. | Sandhill Crane | 1.11% |
| 163. | American Wigeon | 1.08% |

| | | |
|------|----------------------------------|---|
| 164. | Solitary Sandpiper | 1.03%  |
| 165. | Eastern Kingbird | 1.02%  |
| 166. | Eared Grebe | 1.02%  |
| 167. | Bullock's Oriole | 1.00%  |
| 168. | Townsend's Warbler | 0.9737%  |
| 169. | Bufflehead | 0.9526%  |
| 170. | Rhinoceros Auklet | 0.9495%  |
| 171. | American Avocet | 0.9487%  |
| 172. | Pacific Loon | 0.9441%  |
| 173. | Nashville Warbler | 0.9331%  |
| 174. | Clark's Grebe | 0.8925%  |
| 175. | Whimbrel | 0.8792%  |
| 176. | Black-crowned Night Heron | 0.8698%  |
| 177. | American Dipper | 0.8682%  |
| 178. | Rock Wren | 0.8401%  |
| 179. | Sora | 0.8354%  |
| 180. | Oak Titmouse | 0.8127%  |
| 181. | Marbled Murrelet | 0.8034%  |
| 182. | Say's Phoebe | 0.7776%  |
| 183. | Horned Lark | 0.7643%  |
| 184. | Sage Thrasher | 0.7330%  |
| 185. | Lewis's Woodpecker | 0.7291%  |
| 186. | Wandering Tattler | 0.7072%  |
| 187. | Hammond's Flycatcher | 0.7033%  |

| | | |
|------|----------------------------------|----------------------------|
| 188. | Black-bellied Plover | 0.6955% <div></div> |
| 189. | Common Loon | 0.6830% <div></div> |
| 190. | Black-chinned Hummingbird | 0.6752% <div></div> |
| 191. | Sooty Shearwater | 0.6494% <div></div> |
| 192. | Hermit Thrush | 0.6416% <div></div> |
| 193. | Loggerhead Shrike | 0.6330% <div></div> |
| 194. | White-winged Scoter | 0.6307% <div></div> |
| 195. | Ash-throated Flycatcher | 0.6213% <div></div> |
| 196. | Lark Sparrow | 0.6197% <div></div> |
| 197. | Dusky Flycatcher | 0.6174% <div></div> |
| 198. | Redhead | 0.6158% <div></div> |
| 199. | Harlequin Duck | 0.6150% <div></div> |
| 200. | Green-tailed Towhee | 0.6088% <div></div> |
| 201. | Lesser Scaup | 0.5830% <div></div> |
| 202. | Bonaparte's Gull | 0.5760% <div></div> |
| 203. | Ring-necked Pheasant | 0.5736% <div></div> |
| 204. | Surfbird | 0.5588% <div></div> |
| 205. | Gray Flycatcher | 0.5447% <div></div> |
| 206. | Tufted Puffin | 0.5252% <div></div> |
| 207. | White-headed Woodpecker | 0.4978% <div></div> |
| 208. | Northern Pygmy-Owl | 0.4869% <div></div> |
| 209. | Black Tern | 0.4783% <div></div> |
| 210. | Lincoln's Sparrow | 0.4736% <div></div> |
| 211. | Golden Eagle | 0.4712% <div></div> |

| | | |
|------|-------------------------|---------|
| 212. | Canyon Wren | 0.4580% |
| 213. | Pinyon Jay | 0.4533% |
| 214. | California Towhee | 0.4525% |
| 215. | Mountain Quail | 0.4384% |
| 216. | Marbled Godwit | 0.4376% |
| 217. | Barred Owl | 0.4353% |
| 218. | Yellow-breasted Chat | 0.4283% |
| 219. | Prairie Falcon | 0.4079% |
| 220. | Varied Thrush | 0.4056% |
| 221. | Black-backed Woodpecker | 0.4040% |
| 222. | Forster's Tern | 0.3986% |
| 223. | Red-throated Loon | 0.3954% |
| 224. | Calliope Hummingbird | 0.3853% |
| 225. | Snowy Plover | 0.3821% |
| 226. | Franklin's Gull | 0.3782% |
| 227. | Red-necked Grebe | 0.3642% |
| 228. | Western Screech-Owl | 0.3525% |
| 229. | Williamson's Sapsucker | 0.3525% |
| 230. | American Barn Owl | 0.3360% |
| 231. | Ruby-crowned Kinglet | 0.3337% |
| 232. | Sooty Grouse | 0.3329% |
| 233. | Fox Sparrow | 0.3313% |
| 234. | Blue-gray Gnatcatcher | 0.3298% |
| 235. | Barrow's Goldeneye | 0.3267% |

| | | |
|------|------------------------------------|----------------|
| 236. | Greater White-fronted Goose | 0.3251% |
| 237. | Cassin's Auklet | 0.3204% |
| 238. | Ruddy Turnstone | 0.2962% |
| 239. | Trumpeter Swan | 0.2571% |
| 240. | Long-billed Curlew | 0.2501% |
| 241. | Willet | 0.2470% |
| 242. | Ruffed Grouse | 0.2407% |
| 243. | Pink-footed Shearwater | 0.2251% |
| 244. | Stilt Sandpiper | 0.2180% |
| 245. | Snowy Egret | 0.2173% |
| 246. | Black-footed Albatross | 0.2040% |
| 247. | American Goshawk | 0.2032% |
| 248. | Chukar | 0.1962% |
| 249. | Canvasback | 0.1860% |
| 250. | Ferruginous Hawk | 0.1852% |
| 251. | Fork-tailed Storm-Petrel | 0.1837% |
| 252. | American Pipit | 0.1790% |
| 253. | Sabine's Gull | 0.1680% |
| 254. | Common Poorwill | 0.1579% |
| 255. | Common Tern | 0.1563% |
| 256. | Short-billed Gull | 0.1532% |
| 257. | Red-naped Sapsucker | 0.1532% |
| 258. | Elegant Tern | 0.1524% |
| 259. | Gray Catbird | 0.1524% |

| | | |
|------|---------------------------------------|----------------|
| 260. | Cackling Goose | 0.1508% |
| 261. | White-throated Swift | 0.1500% |
| 262. | Long-tailed Jaeger | 0.1493% |
| 263. | Pacific Golden-Plover | 0.1430% |
| 264. | Merlin | 0.1422% |
| 265. | Black Scoter | 0.1368% |
| 266. | Red Phalarope | 0.1336% |
| 267. | Sagebrush Sparrow | 0.1305% |
| 268. | Red-eyed Vireo | 0.1266% |
| 269. | Common Goldeneye | 0.1258% |
| 270. | Arctic Tern | 0.1235% |
| 271. | Parasitic Jaeger | 0.1196% |
| 272. | Horned Grebe | 0.1196% |
| 273. | Buller's Shearwater | 0.1172% |
| 274. | Northern Fulmar | 0.1141% |
| 275. | American Three-toed Woodpecker | 0.1133% |
| 276. | Buff-breasted Sandpiper | 0.1125% |
| 277. | Tundra Swan | 0.1094% |
| 278. | Greater Scaup | 0.1079% |
| 279. | Red Knot | 0.1079% |
| 280. | White-eyed Vireo | 0.1000% |
| 281. | Pomarine Jaeger | 0.0969% |
| 282. | White-tailed Kite | 0.0891% |
| 283. | Northern Mockingbird | 0.0868% |

| | | |
|------|--------------------------------|----------------|
| 284. | Gray Partridge | 0.0852% |
| 285. | Hudsonian Godwit | 0.0821% |
| 286. | Red-breasted Merganser | 0.0750% |
| 287. | Burrowing Owl | 0.0735% |
| 288. | Tricolored Blackbird | 0.0719% |
| 289. | Ruff | 0.0672% |
| 290. | Great Gray Owl | 0.0610% |
| 291. | South Polar Skua | 0.0555% |
| 292. | Dusky Grouse | 0.0547% |
| 293. | Northern Saw-whet Owl | 0.0524% |
| 294. | Great-tailed Grackle | 0.0524% |
| 295. | Black Swift | 0.0508% |
| 296. | Gray-crowned Rosy-Finch | 0.0461% |
| 297. | Leach's Storm-Petrel | 0.0446% |
| 298. | American Golden-Plover | 0.0438% |
| 299. | Greater Sage-Grouse | 0.0430% |
| 300. | Dunlin | 0.0422% |
| 301. | Brant | 0.0406% |
| 302. | Long-eared Owl | 0.0406% |
| 303. | Grasshopper Sparrow | 0.0391% |
| 304. | American Herring Gull | 0.0367% |
| 305. | Short-eared Owl | 0.0367% |
| 306. | Bobolink | 0.0367% |
| 307. | Little Stint | 0.0352% |

| | | |
|------|--------------------------------|----------------|
| 308. | Black Rosy-Finch | 0.0328% |
| 309. | Spotted Owl | 0.0320% |
| 310. | Pine Grosbeak | 0.0258% |
| 311. | Spruce Grouse | 0.0234% |
| 312. | Black-throated Sparrow | 0.0227% |
| 313. | Snow Goose | 0.0203% |
| 314. | Golden-crowned Sparrow | 0.0203% |
| 315. | Bar-tailed Godwit | 0.0188% |
| 316. | American Redstart | 0.0188% |
| 317. | Yellow Rail | 0.0180% |
| 318. | Blackpoll Warbler | 0.0172% |
| 319. | Laysan Albatross | 0.0164% |
| 320. | Northern Waterthrush | 0.0164% |
| 321. | Short-tailed Shearwater | 0.0156% |
| 322. | Juniper Titmouse | 0.0156% |
| 323. | Cocos Booby | 0.0148% |
| 324. | Flammulated Owl | 0.0148% |
| 325. | White-winged Dove | 0.0141% |
| 326. | Veery | 0.0141% |
| 327. | Northern Parula | 0.0141% |
| 328. | Summer Tanager | 0.0117% |
| 329. | Long-tailed Duck | 0.0109% |
| 330. | Scripps's Murrelet | 0.0102% |
| 331. | White-winged Crossbill | 0.0094% |

| | | |
|------|-----------------------------------|----------------|
| 332. | Plumbeous Vireo | 0.0086% |
| 333. | Costa's Hummingbird | 0.0078% |
| 334. | Ancient Murrelet | 0.0070% |
| 335. | Clay-colored Sparrow | 0.0070% |
| 336. | Red-necked Stint | 0.0063% |
| 337. | Rough-legged Hawk | 0.0063% |
| 338. | Black-and-white Warbler | 0.0063% |
| 339. | Eurasian Wigeon | 0.0055% |
| 340. | White-rumped Sandpiper | 0.0055% |
| 341. | Flesh-footed Shearwater | 0.0055% |
| 342. | Blue-winged Warbler | 0.0055% |
| 343. | Hawaiian Petrel | 0.0047% |
| 344. | Great Shearwater | 0.0047% |
| 345. | Indigo Bunting | 0.0047% |
| 346. | Horned Puffin | 0.0039% |
| 347. | Least Flycatcher | 0.0039% |
| 348. | Ross's Goose | 0.0031% |
| 349. | Curlew Sandpiper | 0.0031% |
| 350. | Black-legged Kittiwake | 0.0031% |
| 351. | Laughing Gull | 0.0031% |
| 352. | Glaucous Gull | 0.0031% |
| 353. | Chestnut-collared Longspur | 0.0031% |
| 354. | Rose-breasted Grosbeak | 0.0031% |
| 355. | Allen's Hummingbird | 0.0023% |

| | | |
|------|----------------------------------|----------------|
| 356. | Upland Sandpiper | 0.0023% |
| 357. | Manx Shearwater | 0.0023% |
| 358. | Common Grackle | 0.0023% |
| 359. | Kentucky Warbler | 0.0023% |
| 360. | Emperor Goose | 0.0016% |
| 361. | Broad-tailed Hummingbird | 0.0016% |
| 362. | Ashy Storm-Petrel | 0.0016% |
| 363. | Black Storm-Petrel | 0.0016% |
| 364. | Boreal Owl | 0.0016% |
| 365. | Baltimore Oriole | 0.0016% |
| 366. | Tennessee Warbler | 0.0016% |
| 367. | Virginia's Warbler | 0.0016% |
| 368. | Chestnut-sided Warbler | 0.0016% |
| 369. | Palm Warbler | 0.0016% |
| 370. | Piping Plover | 0.0008% |
| 371. | Sharp-tailed Sandpiper | 0.0008% |
| 372. | Least Tern | 0.0008% |
| 373. | Yellow-billed Loon | 0.0008% |
| 374. | Wilson's Storm-Petrel | 0.0008% |
| 375. | Broad-winged Hawk | 0.0008% |
| 376. | Nuttall's Woodpecker | 0.0008% |
| 377. | Eastern Phoebe | 0.0008% |
| 378. | Scissor-tailed Flycatcher | 0.0008% |
| 379. | Blue-headed Vireo | 0.0008% |

| | | |
|------|---------------------------------|----------------|
| 380. | Curve-billed Thrasher | 0.0008% |
| 381. | Lark Bunting | 0.0008% |
| 382. | White-throated Sparrow | 0.0008% |
| 383. | Ovenbird | 0.0008% |
| 384. | Magnolia Warbler | 0.0008% |
| 385. | American Black Duck | 0.0000% |
| 386. | Sharp-tailed Grouse | 0.0000% |
| 387. | Common Ground Dove | 0.0000% |
| 388. | Greater Roadrunner | 0.0000% |
| 389. | Yellow-billed Cuckoo | 0.0000% |
| 390. | Lesser Nighthawk | 0.0000% |
| 391. | Long-billed Murrelet | 0.0000% |
| 392. | Thick-billed Murre | 0.0000% |
| 393. | Little Gull | 0.0000% |
| 394. | Red-legged Kittiwake | 0.0000% |
| 395. | Lesser Black-backed Gull | 0.0000% |
| 396. | Magnificent Frigatebird | 0.0000% |
| 397. | Little Blue Heron | 0.0000% |
| 398. | Western Cattle-Egret | 0.0000% |
| 399. | Yellow-bellied Sapsucker | 0.0000% |
| 400. | Eastern Wood-Pewee | 0.0000% |
| 401. | Woodhouse's Scrub-Jay | 0.0000% |
| 402. | Brown Thrasher | 0.0000% |
| 403. | California Thrasher | 0.0000% |

| | | |
|-----------------|------------------------|-----------------------|
| 404. | Eastern Yellow Wagtail | 0.0000% |
| 405. | Lawrence's Goldfinch | 0.0000% |
| 406. | Lapland Longspur | 0.0000% |
| 407. | Thick-billed Longspur | 0.0000% |
| 408. | Hooded Oriole | 0.0000% |
| 409. | Prothonotary Warbler | 0.0000% |
| 410. | Hooded Warbler | 0.0000% |
| 411. | Bay-breasted Warbler | 0.0000% |
| 412. | Blackburnian Warbler | 0.0000% |
| 413. | Prairie Warbler | 0.0000% |
| 414. | Painted Bunting | 0.0000% |
| EXOTIC: ESCAPEE | | |
| | Black Swan | 0.0844% frequency |
| | Muscovy Duck | 0.0766% |
| | Graylag Goose | 0.0602% |
| | Mute Swan | 0.0242% |
| | Swan Goose | 0.0156% |
| | Indian Peafowl | 0.0156% |
| | Northern Bobwhite | 0.0063% |
| | Red Junglefowl | 0.0055% |
| | Budgerigar | 0.0055% |
| | Mandarin Duck | 0.0047% |
| | Common Myna | 0.0031% |
| | Helmeted Guineafowl | 0.0016% |

| | |
|--|---|
| Rosy-faced Lovebird | 0.0008% |
| Monk Parakeet | 0.0008% |
| HYBRIDS | |
| Western x Glaucous-winged Gull (hybrid) | 0.9339% frequency <div><div></div></div> |
| Red-naped x Red-breasted Sapsucker (hybrid) | 0.0352% <div><div></div></div> |
| Townsend's x Hermit Warbler (hybrid) | 0.0188% <div><div></div></div> |
| Domestic goose sp. x Canada Goose (hybrid) | 0.0148% <div><div></div></div> |
| Graylag x Canada Goose (hybrid) | 0.0063% <div><div></div></div> |
| Mallard x Northern Pintail (hybrid) | 0.0047% <div><div></div></div> |
| Swan Goose x Canada Goose (hybrid) | 0.0023% |
| Glaucous x Glaucous-winged Gull (hybrid) | 0.0023% |
| Western x Clark's Grebe (hybrid) | 0.0023% |
| Greater White-fronted x Canada Goose (hybrid) | 0.0016% |
| Rose-breasted x Black-headed Grosbeak (hybrid) | 0.0016% |
| Lazuli x Indigo Bunting (hybrid) | 0.0016% |
| Muscovy Duck x Mallard (hybrid) | 0.0008% |
| American Herring x Glaucous-winged Gull (hybrid) | 0.0008% |
| Black-capped x Mountain Chickadee (hybrid) | 0.0008% |