



Target Species

Based on 127,960 complete checklists

414 species observed in Oregon, US (region/US-OR) in **Aug** that you need for your **Oregon Life List**

| | |
|--------------------------------|-------------------|
| 1. Emperor Goose | 0.0016% frequency |
| 2. Snow Goose | 0.0203% |
| 3. Ross's Goose | 0.0031% |
| 4. Greater White-fronted Goose | 0.3251% |
| 5. Brant | 0.0406% |
| 6. Cackling Goose | 0.1508% |
| 7. Canada Goose | 17.78% |
| 8. Trumpeter Swan | 0.2571% |
| 9. Tundra Swan | 0.1094% |
| 10. Wood Duck | 7.66% |
| 11. Blue-winged Teal | 1.17% |
| 12. Cinnamon Teal | 5.27% |
| 13. Northern Shoveler | 4.67% |
| 14. Gadwall | 4.77% |
| 15. Eurasian Wigeon | 0.0055% |
| 16. American Wigeon | 1.08% |
| 17. Mallard | 23.47% |
| 18. American Black Duck | 0.0000% |
| 19. Northern Pintail | 3.29% |

| | | |
|-----|------------------------|---------|
| 20. | Green-winged Teal | 4.59% |
| 21. | Canvasback | 0.1860% |
| 22. | Redhead | 0.6158% |
| 23. | Ring-necked Duck | 1.13% |
| 24. | Greater Scaup | 0.1079% |
| 25. | Lesser Scaup | 0.5830% |
| 26. | Harlequin Duck | 0.6150% |
| 27. | Surf Scoter | 2.36% |
| 28. | White-winged Scoter | 0.6307% |
| 29. | Black Scoter | 0.1368% |
| 30. | Long-tailed Duck | 0.0109% |
| 31. | Bufflehead | 0.9526% |
| 32. | Common Goldeneye | 0.1258% |
| 33. | Barrow's Goldeneye | 0.3267% |
| 34. | Hooded Merganser | 2.54% |
| 35. | Common Merganser | 2.33% |
| 36. | Red-breasted Merganser | 0.0750% |
| 37. | Ruddy Duck | 1.87% |
| 38. | Mountain Quail | 0.4384% |
| 39. | California Quail | 6.02% |
| 40. | Wild Turkey | 1.66% |
| 41. | Ruffed Grouse | 0.2407% |
| 42. | Greater Sage-Grouse | 0.0430% |
| 43. | Dusky Grouse | 0.0547% |

| | | |
|-----|---------------------------|---------|
| 44. | Sooty Grouse | 0.3329% |
| 45. | Sharp-tailed Grouse | 0.0000% |
| 46. | Spruce Grouse | 0.0234% |
| 47. | Gray Partridge | 0.0852% |
| 48. | Ring-necked Pheasant | 0.5736% |
| 49. | Chukar | 0.1962% |
| 50. | Rock Pigeon | 5.39% |
| 51. | Band-tailed Pigeon | 5.26% |
| 52. | Eurasian Collared-Dove | 13.37% |
| 53. | Common Ground Dove | 0.0000% |
| 54. | White-winged Dove | 0.0141% |
| 55. | Mourning Dove | 18.89% |
| 56. | Greater Roadrunner | 0.0000% |
| 57. | Yellow-billed Cuckoo | 0.0000% |
| 58. | Lesser Nighthawk | 0.0000% |
| 59. | Common Nighthawk | 3.52% |
| 60. | Common Poorwill | 0.1579% |
| 61. | Black Swift | 0.0508% |
| 62. | Vaux's Swift | 10.19% |
| 63. | White-throated Swift | 0.1500% |
| 64. | Black-chinned Hummingbird | 0.6752% |
| 65. | Anna's Hummingbird | 18.64% |
| 66. | Costa's Hummingbird | 0.0078% |
| 67. | Calliope Hummingbird | 0.3853% |

| | | |
|-----|--------------------------|---------|
| 68. | Rufous Hummingbird | 9.61% |
| 69. | Allen's Hummingbird | 0.0023% |
| 70. | Broad-tailed Hummingbird | 0.0016% |
| 71. | Virginia Rail | 2.00% |
| 72. | Sora | 0.8354% |
| 73. | American Coot | 5.52% |
| 74. | Yellow Rail | 0.0180% |
| 75. | Sandhill Crane | 1.11% |
| 76. | Black-necked Stilt | 1.17% |
| 77. | American Avocet | 0.9487% |
| 78. | Black Oystercatcher | 1.71% |
| 79. | Black-bellied Plover | 0.6955% |
| 80. | American Golden-Plover | 0.0438% |
| 81. | Pacific Golden-Plover | 0.1430% |
| 82. | Killdeer | 14.76% |
| 83. | Semipalmated Plover | 4.16% |
| 84. | Piping Plover | 0.0008% |
| 85. | Snowy Plover | 0.3821% |
| 86. | Upland Sandpiper | 0.0023% |
| 87. | Whimbrel | 0.8792% |
| 88. | Long-billed Curlew | 0.2501% |
| 89. | Bar-tailed Godwit | 0.0188% |
| 90. | Hudsonian Godwit | 0.0821% |
| 91. | Marbled Godwit | 0.4376% |

| | | |
|------|-------------------------|---------|
| 92. | Short-billed Dowitcher | 1.16% |
| 93. | Long-billed Dowitcher | 4.69% |
| 94. | Wilson's Snipe | 2.04% |
| 95. | Wilson's Phalarope | 1.27% |
| 96. | Red Phalarope | 0.1336% |
| 97. | Red-necked Phalarope | 3.48% |
| 98. | Spotted Sandpiper | 7.53% |
| 99. | Solitary Sandpiper | 1.03% |
| 100. | Wandering Tattler | 0.7072% |
| 101. | Lesser Yellowlegs | 4.03% |
| 102. | Willet | 0.2470% |
| 103. | Greater Yellowlegs | 8.81% |
| 104. | Ruddy Turnstone | 0.2962% |
| 105. | Black Turnstone | 1.25% |
| 106. | Red Knot | 0.1079% |
| 107. | Surfbird | 0.5588% |
| 108. | Ruff | 0.0672% |
| 109. | Sharp-tailed Sandpiper | 0.0008% |
| 110. | Curlew Sandpiper | 0.0031% |
| 111. | Stilt Sandpiper | 0.2180% |
| 112. | Red-necked Stint | 0.0063% |
| 113. | Buff-breasted Sandpiper | 0.1125% |
| 114. | Sanderling | 1.11% |
| 115. | Dunlin | 0.0422% |

| | |
|-----------------------------|---------|
| 116. Baird's Sandpiper | 2.47% |
| 117. Little Stint | 0.0352% |
| 118. White-rumped Sandpiper | 0.0055% |
| 119. Least Sandpiper | 11.96% |
| 120. Pectoral Sandpiper | 1.15% |
| 121. Western Sandpiper | 10.51% |
| 122. Semipalmated Sandpiper | 1.35% |
| 123. Long-tailed Jaeger | 0.1493% |
| 124. Parasitic Jaeger | 0.1196% |
| 125. Pomarine Jaeger | 0.0969% |
| 126. South Polar Skua | 0.0555% |
| 127. Rhinoceros Auklet | 0.9495% |
| 128. Tufted Puffin | 0.5252% |
| 129. Horned Puffin | 0.0039% |
| 130. Cassin's Auklet | 0.3204% |
| 131. Long-billed Murrelet | 0.0000% |
| 132. Marbled Murrelet | 0.8034% |
| 133. Pigeon Guillemot | 3.77% |
| 134. Thick-billed Murre | 0.0000% |
| 135. Common Murre | 4.30% |
| 136. Ancient Murrelet | 0.0070% |
| 137. Scripps's Murrelet | 0.0102% |
| 138. Little Gull | 0.0000% |
| 139. Black-legged Kittiwake | 0.0031% |

| | | |
|------|--------------------------|---------|
| 140. | Red-legged Kittiwake | 0.0000% |
| 141. | Sabine's Gull | 0.1680% |
| 142. | Bonaparte's Gull | 0.5760% |
| 143. | Laughing Gull | 0.0031% |
| 144. | Franklin's Gull | 0.3782% |
| 145. | Heermann's Gull | 1.78% |
| 146. | Short-billed Gull | 0.1532% |
| 147. | Ring-billed Gull | 5.87% |
| 148. | Western Gull | 8.92% |
| 149. | American Herring Gull | 0.0367% |
| 150. | Glaucous Gull | 0.0031% |
| 151. | Lesser Black-backed Gull | 0.0000% |
| 152. | California Gull | 9.62% |
| 153. | Glaucous-winged Gull | 3.02% |
| 154. | Least Tern | 0.0008% |
| 155. | Caspian Tern | 4.45% |
| 156. | Black Tern | 0.4783% |
| 157. | Forster's Tern | 0.3986% |
| 158. | Arctic Tern | 0.1235% |
| 159. | Common Tern | 0.1563% |
| 160. | Elegant Tern | 0.1524% |
| 161. | Pied-billed Grebe | 8.86% |
| 162. | Horned Grebe | 0.1196% |
| 163. | Red-necked Grebe | 0.3642% |

| | |
|-------------------------------|---------|
| 164. Eared Grebe | 1.02% |
| 165. Western Grebe | 2.11% |
| 166. Clark's Grebe | 0.8925% |
| 167. Red-throated Loon | 0.3954% |
| 168. Pacific Loon | 0.9441% |
| 169. Common Loon | 0.6830% |
| 170. Yellow-billed Loon | 0.0008% |
| 171. Laysan Albatross | 0.0164% |
| 172. Black-footed Albatross | 0.2040% |
| 173. Wilson's Storm-Petrel | 0.0008% |
| 174. Fork-tailed Storm-Petrel | 0.1837% |
| 175. Leach's Storm-Petrel | 0.0446% |
| 176. Ashy Storm-Petrel | 0.0016% |
| 177. Black Storm-Petrel | 0.0016% |
| 178. Northern Fulmar | 0.1141% |
| 179. Hawaiian Petrel | 0.0047% |
| 180. Pink-footed Shearwater | 0.2251% |
| 181. Flesh-footed Shearwater | 0.0055% |
| 182. Great Shearwater | 0.0047% |
| 183. Buller's Shearwater | 0.1172% |
| 184. Sooty Shearwater | 0.6494% |
| 185. Short-tailed Shearwater | 0.0156% |
| 186. Manx Shearwater | 0.0023% |
| 187. Magnificent Frigatebird | 0.0000% |

| | | |
|------|---------------------------|---------|
| 188. | Cocos Booby | 0.0148% |
| 189. | Brandt's Cormorant | 3.10% |
| 190. | Pelagic Cormorant | 4.27% |
| 191. | Double-crested Cormorant | 10.44% |
| 192. | White-faced Ibis | 1.25% |
| 193. | American Bittern | 1.13% |
| 194. | Black-crowned Night Heron | 0.8698% |
| 195. | Little Blue Heron | 0.0000% |
| 196. | Snowy Egret | 0.2173% |
| 197. | Green Heron | 4.70% |
| 198. | Western Cattle-Egret | 0.0000% |
| 199. | Great Egret | 10.58% |
| 200. | Great Blue Heron | 19.60% |
| 201. | American White Pelican | 4.98% |
| 202. | Brown Pelican | 6.02% |
| 203. | Turkey Vulture | 23.18% |
| 204. | Osprey | 14.45% |
| 205. | White-tailed Kite | 0.0891% |
| 206. | Golden Eagle | 0.4712% |
| 207. | Sharp-shinned Hawk | 1.29% |
| 208. | Cooper's Hawk | 3.60% |
| 209. | American Goshawk | 0.2032% |
| 210. | Northern Harrier | 4.36% |
| 211. | Bald Eagle | 5.06% |

| | | |
|------|--------------------------|---------|
| 212. | Broad-winged Hawk | 0.0008% |
| 213. | Red-shouldered Hawk | 2.36% |
| 214. | Swainson's Hawk | 1.12% |
| 215. | Red-tailed Hawk | 11.15% |
| 216. | Rough-legged Hawk | 0.0063% |
| 217. | Ferruginous Hawk | 0.1852% |
| 218. | American Barn Owl | 0.3360% |
| 219. | Flammulated Owl | 0.0148% |
| 220. | Western Screech-Owl | 0.3525% |
| 221. | Great Horned Owl | 1.61% |
| 222. | Northern Pygmy-Owl | 0.4869% |
| 223. | Burrowing Owl | 0.0735% |
| 224. | Spotted Owl | 0.0320% |
| 225. | Barred Owl | 0.4353% |
| 226. | Great Gray Owl | 0.0610% |
| 227. | Long-eared Owl | 0.0406% |
| 228. | Short-eared Owl | 0.0367% |
| 229. | Boreal Owl | 0.0016% |
| 230. | Northern Saw-whet Owl | 0.0524% |
| 231. | Belted Kingfisher | 12.43% |
| 232. | Williamson's Sapsucker | 0.3525% |
| 233. | Yellow-bellied Sapsucker | 0.0000% |
| 234. | Red-naped Sapsucker | 0.1532% |
| 235. | Red-breasted Sapsucker | 2.47% |

| | | |
|------|--------------------------------|---------|
| 236. | Lewis's Woodpecker | 0.7291% |
| 237. | Acorn Woodpecker | 4.39% |
| 238. | American Three-toed Woodpecker | 0.1133% |
| 239. | Black-backed Woodpecker | 0.4040% |
| 240. | Downy Woodpecker | 11.50% |
| 241. | Nuttall's Woodpecker | 0.0008% |
| 242. | Hairy Woodpecker | 5.71% |
| 243. | White-headed Woodpecker | 0.4978% |
| 244. | Pileated Woodpecker | 3.13% |
| 245. | Northern Flicker | 24.75% |
| 246. | American Kestrel | 6.82% |
| 247. | Merlin | 0.1422% |
| 248. | Peregrine Falcon | 2.04% |
| 249. | Prairie Falcon | 0.4079% |
| 250. | Olive-sided Flycatcher | 2.43% |
| 251. | Western Wood-Pewee | 15.64% |
| 252. | Eastern Wood-Pewee | 0.0000% |
| 253. | Willow Flycatcher | 2.80% |
| 254. | Least Flycatcher | 0.0039% |
| 255. | Hammond's Flycatcher | 0.7033% |
| 256. | Gray Flycatcher | 0.5447% |
| 257. | Dusky Flycatcher | 0.6174% |
| 258. | Western Flycatcher | 2.38% |
| 259. | Black Phoebe | 4.51% |

| | | |
|------|---------------------------|------------------------|
| 260. | Eastern Phoebe | 0.0008% |
| 261. | Say's Phoebe | 0.7776% <div></div> |
| 262. | Ash-throated Flycatcher | 0.6213% <div></div> |
| 263. | Western Kingbird | 1.41% <div></div> |
| 264. | Eastern Kingbird | 1.02% <div></div> |
| 265. | Scissor-tailed Flycatcher | 0.0008% |
| 266. | White-eyed Vireo | 0.1000% <div></div> |
| 267. | Hutton's Vireo | 1.96% <div></div> |
| 268. | Cassin's Vireo | 1.53% <div></div> |
| 269. | Blue-headed Vireo | 0.0008% |
| 270. | Plumbeous Vireo | 0.0086% <div></div> |
| 271. | Warbling Vireo | 2.92% <div></div> |
| 272. | Red-eyed Vireo | 0.1266% <div></div> |
| 273. | Loggerhead Shrike | 0.6330% <div></div> |
| 274. | Canada Jay | 2.35% <div></div> |
| 275. | Pinyon Jay | 0.4533% <div></div> |
| 276. | Steller's Jay | 23.70% <div></div> |
| 277. | California Scrub-Jay | 24.59% <div></div> |
| 278. | Woodhouse's Scrub-Jay | 0.0000% |
| 279. | Black-billed Magpie | 2.50% <div></div> |
| 280. | Clark's Nutcracker | 2.22% <div></div> |
| 281. | American Crow | 33.78% <div></div> |
| 282. | Common Raven | 13.65% <div></div> |
| 283. | Black-capped Chickadee | 29.40% <div></div> |

| | | |
|------|-------------------------------|---------|
| 284. | Mountain Chickadee | 6.42% |
| 285. | Chestnut-backed Chickadee | 12.99% |
| 286. | Oak Titmouse | 0.8127% |
| 287. | Juniper Titmouse | 0.0156% |
| 288. | Horned Lark | 0.7643% |
| 289. | Bank Swallow | 1.85% |
| 290. | Tree Swallow | 6.50% |
| 291. | Violet-green Swallow | 10.88% |
| 292. | Purple Martin | 5.86% |
| 293. | Northern Rough-winged Swallow | 2.32% |
| 294. | Barn Swallow | 29.91% |
| 295. | Cliff Swallow | 5.14% |
| 296. | Bushtit | 7.94% |
| 297. | Wrentit | 4.11% |
| 298. | Ruby-crowned Kinglet | 0.3337% |
| 299. | Golden-crowned Kinglet | 4.21% |
| 300. | White-breasted Nuthatch | 8.75% |
| 301. | Pygmy Nuthatch | 2.55% |
| 302. | Red-breasted Nuthatch | 20.28% |
| 303. | Brown Creeper | 9.80% |
| 304. | Blue-gray Gnatcatcher | 0.3298% |
| 305. | Rock Wren | 0.8401% |
| 306. | Canyon Wren | 0.4580% |
| 307. | Northern House Wren | 3.59% |

| | | |
|------|------------------------|---------|
| 308. | Pacific Wren | 3.21% |
| 309. | Marsh Wren | 3.21% |
| 310. | Bewick's Wren | 13.25% |
| 311. | American Dipper | 0.8682% |
| 312. | European Starling | 17.73% |
| 313. | Gray Catbird | 0.1524% |
| 314. | Curve-billed Thrasher | 0.0008% |
| 315. | Brown Thrasher | 0.0000% |
| 316. | California Thrasher | 0.0000% |
| 317. | Sage Thrasher | 0.7330% |
| 318. | Northern Mockingbird | 0.0868% |
| 319. | Western Bluebird | 2.63% |
| 320. | Mountain Bluebird | 1.47% |
| 321. | Townsend's Solitaire | 1.32% |
| 322. | Varied Thrush | 0.4056% |
| 323. | Veery | 0.0141% |
| 324. | Swainson's Thrush | 6.00% |
| 325. | Hermit Thrush | 0.6416% |
| 326. | American Robin | 27.42% |
| 327. | Cedar Waxwing | 20.64% |
| 328. | House Sparrow | 9.02% |
| 329. | Eastern Yellow Wagtail | 0.0000% |
| 330. | American Pipit | 0.1790% |
| 331. | Evening Grosbeak | 1.39% |

| | | |
|------|----------------------------|---------|
| 332. | Pine Grosbeak | 0.0258% |
| 333. | Gray-crowned Rosy-Finch | 0.0461% |
| 334. | Black Rosy-Finch | 0.0328% |
| 335. | House Finch | 21.26% |
| 336. | Purple Finch | 3.86% |
| 337. | Cassin's Finch | 1.79% |
| 338. | Red Crossbill | 5.90% |
| 339. | White-winged Crossbill | 0.0094% |
| 340. | Pine Siskin | 5.88% |
| 341. | Lesser Goldfinch | 15.31% |
| 342. | Lawrence's Goldfinch | 0.0000% |
| 343. | American Goldfinch | 20.68% |
| 344. | Lapland Longspur | 0.0000% |
| 345. | Chestnut-collared Longspur | 0.0031% |
| 346. | Thick-billed Longspur | 0.0000% |
| 347. | Grasshopper Sparrow | 0.0391% |
| 348. | Chipping Sparrow | 3.20% |
| 349. | Clay-colored Sparrow | 0.0070% |
| 350. | Brewer's Sparrow | 1.40% |
| 351. | Black-throated Sparrow | 0.0227% |
| 352. | Lark Sparrow | 0.6197% |
| 353. | Lark Bunting | 0.0008% |
| 354. | Fox Sparrow | 0.3313% |
| 355. | Dark-eyed Junco | 15.69% |

| | | |
|------|-------------------------|---------|
| 356. | White-crowned Sparrow | 8.39% |
| 357. | Golden-crowned Sparrow | 0.0203% |
| 358. | White-throated Sparrow | 0.0008% |
| 359. | Sagebrush Sparrow | 0.1305% |
| 360. | Vesper Sparrow | 1.17% |
| 361. | Savannah Sparrow | 6.95% |
| 362. | Song Sparrow | 26.50% |
| 363. | Lincoln's Sparrow | 0.4736% |
| 364. | California Towhee | 0.4525% |
| 365. | Green-tailed Towhee | 0.6088% |
| 366. | Spotted Towhee | 19.57% |
| 367. | Yellow-breasted Chat | 0.4283% |
| 368. | Yellow-headed Blackbird | 1.72% |
| 369. | Bobolink | 0.0367% |
| 370. | Western Meadowlark | 2.19% |
| 371. | Hooded Oriole | 0.0000% |
| 372. | Bullock's Oriole | 1.00% |
| 373. | Baltimore Oriole | 0.0016% |
| 374. | Red-winged Blackbird | 10.76% |
| 375. | Tricolored Blackbird | 0.0719% |
| 376. | Brown-headed Cowbird | 3.61% |
| 377. | Brewer's Blackbird | 9.62% |
| 378. | Common Grackle | 0.0023% |
| 379. | Great-tailed Grackle | 0.0524% |

| | | |
|------|-------------------------|---------|
| 380. | Ovenbird | 0.0008% |
| 381. | Northern Waterthrush | 0.0164% |
| 382. | Blue-winged Warbler | 0.0055% |
| 383. | Black-and-white Warbler | 0.0063% |
| 384. | Prothonotary Warbler | 0.0000% |
| 385. | Tennessee Warbler | 0.0016% |
| 386. | Orange-crowned Warbler | 4.16% |
| 387. | Nashville Warbler | 0.9331% |
| 388. | Virginia's Warbler | 0.0016% |
| 389. | MacGillivray's Warbler | 2.15% |
| 390. | Kentucky Warbler | 0.0023% |
| 391. | Common Yellowthroat | 13.18% |
| 392. | Hooded Warbler | 0.0000% |
| 393. | American Redstart | 0.0188% |
| 394. | Northern Parula | 0.0141% |
| 395. | Magnolia Warbler | 0.0008% |
| 396. | Bay-breasted Warbler | 0.0000% |
| 397. | Blackburnian Warbler | 0.0000% |
| 398. | Yellow Warbler | 5.72% |
| 399. | Chestnut-sided Warbler | 0.0016% |
| 400. | Blackpoll Warbler | 0.0172% |
| 401. | Palm Warbler | 0.0016% |
| 402. | Yellow-rumped Warbler | 5.45% |
| 403. | Prairie Warbler | 0.0000% |

| | |
|----------------------------------|-------------------------------|
| 404. Black-throated Gray Warbler | 3.20% <div></div> |
| 405. Townsend's Warbler | 0.9737% <div></div> |
| 406. Hermit Warbler | 1.54% <div></div> |
| 407. Wilson's Warbler | 6.45% <div></div> |
| 408. Summer Tanager | 0.0117% <div></div> |
| 409. Western Tanager | 8.88% <div></div> |
| 410. Rose-breasted Grosbeak | 0.0031% <div></div> |
| 411. Black-headed Grosbeak | 10.33% <div></div> |
| 412. Lazuli Bunting | 1.79% <div></div> |
| 413. Indigo Bunting | 0.0047% <div></div> |
| 414. Painted Bunting | 0.0000% <div></div> |
| EXOTIC: ESCAPEE | |
| Graylag Goose | 0.0602% frequency <div></div> |
| Swan Goose | 0.0156% <div></div> |
| Mute Swan | 0.0242% <div></div> |
| Black Swan | 0.0844% <div></div> |
| Muscovy Duck | 0.0766% <div></div> |
| Mandarin Duck | 0.0047% <div></div> |
| Helmeted Guineafowl | 0.0016% <div></div> |
| Northern Bobwhite | 0.0063% <div></div> |
| Indian Peafowl | 0.0156% <div></div> |
| Red Junglefowl | 0.0055% <div></div> |
| Budgerigar | 0.0055% <div></div> |
| Rosy-faced Lovebird | 0.0008% <div></div> |

| | |
|--|-------------------|
| Monk Parakeet | 0.0008% |
| Common Myna | 0.0031% |
| HYBRIDS | |
| Swan Goose x Canada Goose (hybrid) | 0.0023% frequency |
| Greater White-fronted x Canada Goose (hybrid) | 0.0016% |
| Graylag x Canada Goose (hybrid) | 0.0063% |
| Domestic goose sp. x Canada Goose (hybrid) | 0.0148% |
| Muscovy Duck x Mallard (hybrid) | 0.0008% |
| Mallard x Northern Pintail (hybrid) | 0.0047% |
| Western x Glaucous-winged Gull (hybrid) | 0.9339% |
| American Herring x Glaucous-winged Gull (hybrid) | 0.0008% |
| Glaucous x Glaucous-winged Gull (hybrid) | 0.0023% |
| Western x Clark's Grebe (hybrid) | 0.0023% |
| Red-naped x Red-breasted Sapsucker (hybrid) | 0.0352% |
| Black-capped x Mountain Chickadee (hybrid) | 0.0008% |
| Townsend's x Hermit Warbler (hybrid) | 0.0188% |
| Rose-breasted x Black-headed Grosbeak (hybrid) | 0.0016% |
| Lazuli x Indigo Bunting (hybrid) | 0.0016% |