



## Target Species

Based on 162,404 complete checklists

**386** species observed in Oregon, US (region/US-OR) in **Mar** that you need for your **Oregon Life List**

|                            |                  |
|----------------------------|------------------|
| 1. American Robin          | 50.78% frequency |
| 2. Dark-eyed Junco         | 44.94%           |
| 3. Song Sparrow            | 43.64%           |
| 4. American Crow           | 41.06%           |
| 5. Northern Flicker        | 36.58%           |
| 6. Mallard                 | 34.90%           |
| 7. Black-capped Chickadee  | 32.54%           |
| 8. Spotted Towhee          | 32.49%           |
| 9. Canada Goose            | 31.65%           |
| 10. European Starling      | 30.85%           |
| 11. California Scrub-Jay   | 29.98%           |
| 12. Red-winged Blackbird   | 28.29%           |
| 13. House Finch            | 25.54%           |
| 14. Anna's Hummingbird     | 24.43%           |
| 15. Steller's Jay          | 23.16%           |
| 16. Red-tailed Hawk        | 20.99%           |
| 17. Ruby-crowned Kinglet   | 20.01%           |
| 18. Golden-crowned Sparrow | 19.10%           |
| 19. Bufflehead             | 18.73%           |

|     |                           |        |
|-----|---------------------------|--------|
| 20. | Lesser Goldfinch          | 16.60% |
| 21. | Bewick's Wren             | 16.53% |
| 22. | Yellow-rumped Warbler     | 16.34% |
| 23. | Common Raven              | 15.26% |
| 24. | Bald Eagle                | 14.57% |
| 25. | Mourning Dove             | 14.12% |
| 26. | American Coot             | 14.06% |
| 27. | Ring-necked Duck          | 14.00% |
| 28. | Green-winged Teal         | 13.93% |
| 29. | Bushtit                   | 13.81% |
| 30. | Turkey Vulture            | 13.45% |
| 31. | Red-breasted Nuthatch     | 13.38% |
| 32. | Tree Swallow              | 13.36% |
| 33. | White-crowned Sparrow     | 13.07% |
| 34. | American Wigeon           | 13.05% |
| 35. | Great Blue Heron          | 13.01% |
| 36. | Cackling Goose            | 12.22% |
| 37. | Downy Woodpecker          | 11.95% |
| 38. | Killdeer                  | 11.83% |
| 39. | House Sparrow             | 11.75% |
| 40. | Chestnut-backed Chickadee | 11.60% |
| 41. | Northern Shoveler         | 11.47% |
| 42. | Eurasian Collared-Dove    | 11.16% |
| 43. | Double-crested Cormorant  | 10.74% |

|                             |        |
|-----------------------------|--------|
| 44. Pine Siskin             | 10.63% |
| 45. Varied Thrush           | 10.56% |
| 46. Gadwall                 | 9.62%  |
| 47. Pacific Wren            | 9.51%  |
| 48. Violet-green Swallow    | 9.11%  |
| 49. American Kestrel        | 9.03%  |
| 50. Golden-crowned Kinglet  | 8.80%  |
| 51. Pied-billed Grebe       | 8.77%  |
| 52. Brown Creeper           | 8.75%  |
| 53. Lesser Scaup            | 8.70%  |
| 54. Fox Sparrow             | 8.14%  |
| 55. Northern Harrier        | 8.01%  |
| 56. White-breasted Nuthatch | 7.83%  |
| 57. Northern Pintail        | 7.78%  |
| 58. Common Merganser        | 7.72%  |
| 59. Brewer's Blackbird      | 7.55%  |
| 60. Western Meadowlark      | 6.94%  |
| 61. Hooded Merganser        | 6.50%  |
| 62. Rufous Hummingbird      | 6.26%  |
| 63. Wood Duck               | 6.04%  |
| 64. Rock Pigeon             | 5.95%  |
| 65. Belted Kingfisher       | 5.73%  |
| 66. Ruddy Duck              | 5.68%  |
| 67. Red-breasted Sapsucker  | 5.57%  |

|     |                      |       |
|-----|----------------------|-------|
| 68. | American Goldfinch   | 5.54% |
| 69. | Common Goldeneye     | 5.40% |
| 70. | Great Egret          | 5.22% |
| 71. | Purple Finch         | 5.11% |
| 72. | Western Bluebird     | 4.92% |
| 73. | Hairy Woodpecker     | 4.88% |
| 74. | Marsh Wren           | 4.80% |
| 75. | Western Gull         | 4.78% |
| 76. | Acorn Woodpecker     | 4.62% |
| 77. | Black Phoebe         | 4.23% |
| 78. | Glaucous-winged Gull | 3.95% |
| 79. | Mountain Chickadee   | 3.83% |
| 80. | Black-billed Magpie  | 3.82% |
| 81. | California Quail     | 3.76% |
| 82. | Greater Yellowlegs   | 3.35% |
| 83. | Surf Scoter          | 3.31% |
| 84. | Townsend's Warbler   | 3.23% |
| 85. | Hutton's Vireo       | 3.18% |
| 86. | Ring-billed Gull     | 3.09% |
| 87. | Pileated Woodpecker  | 3.00% |
| 88. | Cooper's Hawk        | 2.96% |
| 89. | Canvasback           | 2.90% |
| 90. | Sandhill Crane       | 2.83% |
| 91. | Tundra Swan          | 2.79% |

|      |                                    |                                     |
|------|------------------------------------|-------------------------------------|
| 92.  | <b>Osprey</b>                      | <b>2.64%</b> <div><div></div></div> |
| 93.  | <b>Pelagic Cormorant</b>           | <b>2.61%</b> <div><div></div></div> |
| 94.  | <b>Townsend's Solitaire</b>        | <b>2.48%</b> <div><div></div></div> |
| 95.  | <b>Say's Phoebe</b>                | <b>2.46%</b> <div><div></div></div> |
| 96.  | <b>Cinnamon Teal</b>               | <b>2.40%</b> <div><div></div></div> |
| 97.  | <b>Greater White-fronted Goose</b> | <b>2.37%</b> <div><div></div></div> |
| 98.  | <b>Horned Grebe</b>                | <b>2.36%</b> <div><div></div></div> |
| 99.  | <b>Hermit Thrush</b>               | <b>2.34%</b> <div><div></div></div> |
| 100. | <b>Western Grebe</b>               | <b>2.31%</b> <div><div></div></div> |
| 101. | <b>Pygmy Nuthatch</b>              | <b>2.27%</b> <div><div></div></div> |
| 102. | <b>Common Loon</b>                 | <b>2.25%</b> <div><div></div></div> |
| 103. | <b>White-throated Sparrow</b>      | <b>2.25%</b> <div><div></div></div> |
| 104. | <b>Savannah Sparrow</b>            | <b>2.22%</b> <div><div></div></div> |
| 105. | <b>Wild Turkey</b>                 | <b>2.22%</b> <div><div></div></div> |
| 106. | <b>Wilson's Snipe</b>              | <b>2.15%</b> <div><div></div></div> |
| 107. | <b>Greater Scaup</b>               | <b>2.12%</b> <div><div></div></div> |
| 108. | <b>Lincoln's Sparrow</b>           | <b>2.10%</b> <div><div></div></div> |
| 109. | <b>Red-shouldered Hawk</b>         | <b>2.09%</b> <div><div></div></div> |
| 110. | <b>California Gull</b>             | <b>2.09%</b> <div><div></div></div> |
| 111. | <b>Great Horned Owl</b>            | <b>2.00%</b> <div><div></div></div> |
| 112. | <b>Band-tailed Pigeon</b>          | <b>1.97%</b> <div><div></div></div> |
| 113. | <b>Orange-crowned Warbler</b>      | <b>1.93%</b> <div><div></div></div> |
| 114. | <b>Short-billed Gull</b>           | <b>1.92%</b> <div><div></div></div> |
| 115. | <b>Wrentit</b>                     | <b>1.91%</b> <div><div></div></div> |

|      |                               |                               |
|------|-------------------------------|-------------------------------|
| 116. | <b>Snow Goose</b>             | <b>1.80%</b><br><div></div>   |
| 117. | <b>Cedar Waxwing</b>          | <b>1.80%</b><br><div></div>   |
| 118. | <b>Dunlin</b>                 | <b>1.76%</b><br><div></div>   |
| 119. | <b>Red Crossbill</b>          | <b>1.74%</b><br><div></div>   |
| 120. | <b>Virginia Rail</b>          | <b>1.52%</b><br><div></div>   |
| 121. | <b>Mountain Bluebird</b>      | <b>1.52%</b><br><div></div>   |
| 122. | <b>Ring-necked Pheasant</b>   | <b>1.48%</b><br><div></div>   |
| 123. | <b>Sharp-shinned Hawk</b>     | <b>1.43%</b><br><div></div>   |
| 124. | <b>Horned Lark</b>            | <b>1.41%</b><br><div></div>   |
| 125. | <b>Rough-legged Hawk</b>      | <b>1.40%</b><br><div></div>   |
| 126. | <b>Red-necked Grebe</b>       | <b>1.35%</b><br><div></div>   |
| 127. | <b>Pigeon Guillemot</b>       | <b>1.26%</b><br><div></div>   |
| 128. | <b>Red-breasted Merganser</b> | <b>1.25%</b><br><div></div>   |
| 129. | <b>American Herring Gull</b>  | <b>1.21%</b><br><div></div>   |
| 130. | <b>Eurasian Wigeon</b>        | <b>1.18%</b><br><div></div>   |
| 131. | <b>American Pipit</b>         | <b>1.12%</b><br><div></div>   |
| 132. | <b>Peregrine Falcon</b>       | <b>1.12%</b><br><div></div>   |
| 133. | <b>Evening Grosbeak</b>       | <b>1.11%</b><br><div></div>   |
| 134. | <b>Barrow's Goldeneye</b>     | <b>1.04%</b><br><div></div>   |
| 135. | <b>Brown-headed Cowbird</b>   | <b>1.03%</b><br><div></div>   |
| 136. | <b>Oak Titmouse</b>           | <b>1.01%</b><br><div></div>   |
| 137. | <b>Redhead</b>                | <b>0.9969%</b><br><div></div> |
| 138. | <b>Black Oystercatcher</b>    | <b>0.9920%</b><br><div></div> |
| 139. | <b>Merlin</b>                 | <b>0.9790%</b><br><div></div> |

|      |                        |         |
|------|------------------------|---------|
| 140. | Golden Eagle           | 0.9729% |
| 141. | Brandt's Cormorant     | 0.9322% |
| 142. | American White Pelican | 0.9273% |
| 143. | Harlequin Duck         | 0.9027% |
| 144. | Northern Pygmy-Owl     | 0.8399% |
| 145. | Barn Swallow           | 0.7882% |
| 146. | Long-billed Dowitcher  | 0.7851% |
| 147. | American Dipper        | 0.7617% |
| 148. | Canada Jay             | 0.7555% |
| 149. | Red-throated Loon      | 0.7358% |
| 150. | Common Murre           | 0.7223% |
| 151. | White-winged Scoter    | 0.7192% |
| 152. | Black Turnstone        | 0.7013% |
| 153. | Least Sandpiper        | 0.6219% |
| 154. | Western Screech-Owl    | 0.6158% |
| 155. | Cassin's Finch         | 0.6145% |
| 156. | Northern Shrike        | 0.5979% |
| 157. | Pacific Loon           | 0.5917% |
| 158. | Eared Grebe            | 0.5831% |
| 159. | Brant                  | 0.5523% |
| 160. | Black Scoter           | 0.5252% |
| 161. | Canyon Wren            | 0.5221% |
| 162. | Trumpeter Swan         | 0.5166% |
| 163. | Spotted Sandpiper      | 0.5123% |

|                                    |         |
|------------------------------------|---------|
| 164. Iceland Gull                  | 0.5068% |
| 165. Prairie Falcon                | 0.4981% |
| 166. California Towhee             | 0.4341% |
| 167. Mountain Quail                | 0.4286% |
| 168. Common Yellowthroat           | 0.4187% |
| 169. Cliff Swallow                 | 0.4181% |
| 170. Barred Owl                    | 0.4101% |
| 171. Black-crowned Night Heron     | 0.3922% |
| 172. Ferruginous Hawk              | 0.3774% |
| 173. Ross's Goose                  | 0.3670% |
| 174. Sanderling                    | 0.3639% |
| 175. Surfbird                      | 0.3097% |
| 176. Lewis's Woodpecker            | 0.3042% |
| 177. American Barn Owl             | 0.3011% |
| 178. Sora                          | 0.2900% |
| 179. Williamson's Sapsucker        | 0.2882% |
| 180. Clark's Nutcracker            | 0.2869% |
| 181. American Bittern              | 0.2820% |
| 182. Northern Rough-winged Swallow | 0.2759% |
| 183. Yellow-headed Blackbird       | 0.2703% |
| 184. Loggerhead Shrike             | 0.2672% |
| 185. Green Heron                   | 0.2568% |
| 186. Chukar                        | 0.2494% |
| 187. Long-billed Curlew            | 0.2482% |



|                                     |                |
|-------------------------------------|----------------|
| 188. <b>Clark's Grebe</b>           | <b>0.2457%</b> |
| 189. <b>Tricolored Blackbird</b>    | <b>0.2395%</b> |
| 190. <b>Black-necked Stilt</b>      | <b>0.2383%</b> |
| 191. <b>Black-bellied Plover</b>    | <b>0.2241%</b> |
| 192. <b>Long-tailed Duck</b>        | <b>0.2204%</b> |
| 193. <b>Black-legged Kittiwake</b>  | <b>0.2167%</b> |
| 194. <b>White-headed Woodpecker</b> | <b>0.2155%</b> |
| 195. <b>Short-eared Owl</b>         | <b>0.2100%</b> |
| 196. <b>Rock Wren</b>               | <b>0.2007%</b> |
| 197. <b>Pinyon Jay</b>              | <b>0.1866%</b> |
| 198. <b>Sooty Grouse</b>            | <b>0.1860%</b> |
| 199. <b>Northern Saw-whet Owl</b>   | <b>0.1810%</b> |
| 200. <b>Sagebrush Sparrow</b>       | <b>0.1798%</b> |
| 201. <b>Ruffed Grouse</b>           | <b>0.1749%</b> |
| 202. <b>Rhinoceros Auklet</b>       | <b>0.1730%</b> |
| 203. <b>Harris's Sparrow</b>        | <b>0.1724%</b> |
| 204. <b>Northern Mockingbird</b>    | <b>0.1638%</b> |
| 205. <b>Chipping Sparrow</b>        | <b>0.1465%</b> |
| 206. <b>Marbled Murrelet</b>        | <b>0.1404%</b> |
| 207. <b>Snowy Plover</b>            | <b>0.1373%</b> |
| 208. <b>White-tailed Kite</b>       | <b>0.1373%</b> |
| 209. <b>Glaucous Gull</b>           | <b>0.1231%</b> |
| 210. <b>Vesper Sparrow</b>          | <b>0.1219%</b> |
| 211. <b>Sage Thrasher</b>           | <b>0.1201%</b> |

|      |                                   |                |
|------|-----------------------------------|----------------|
| 212. | <b>Whimbrel</b>                   | <b>0.1170%</b> |
| 213. | <b>American Avocet</b>            | <b>0.1090%</b> |
| 214. | <b>Brown Pelican</b>              | <b>0.1053%</b> |
| 215. | <b>Swamp Sparrow</b>              | <b>0.1035%</b> |
| 216. | <b>Bonaparte's Gull</b>           | <b>0.0948%</b> |
| 217. | <b>Greater Sage-Grouse</b>        | <b>0.0930%</b> |
| 218. | <b>Western Sandpiper</b>          | <b>0.0899%</b> |
| 219. | <b>Lapland Longspur</b>           | <b>0.0893%</b> |
| 220. | <b>Long-eared Owl</b>             | <b>0.0881%</b> |
| 221. | <b>Lesser Yellowlegs</b>          | <b>0.0862%</b> |
| 222. | <b>Bohemian Waxwing</b>           | <b>0.0831%</b> |
| 223. | <b>Black-backed Woodpecker</b>    | <b>0.0770%</b> |
| 224. | <b>Snow Bunting</b>               | <b>0.0739%</b> |
| 225. | <b>Blue-winged Teal</b>           | <b>0.0714%</b> |
| 226. | <b>Caspian Tern</b>               | <b>0.0714%</b> |
| 227. | <b>American Goshawk</b>           | <b>0.0714%</b> |
| 228. | <b>Burrowing Owl</b>              | <b>0.0702%</b> |
| 229. | <b>Great Gray Owl</b>             | <b>0.0677%</b> |
| 230. | <b>Great-tailed Grackle</b>       | <b>0.0671%</b> |
| 231. | <b>Clay-colored Sparrow</b>       | <b>0.0659%</b> |
| 232. | <b>Pine Grosbeak</b>              | <b>0.0640%</b> |
| 233. | <b>Palm Warbler</b>               | <b>0.0616%</b> |
| 234. | <b>Chestnut-collared Longspur</b> | <b>0.0591%</b> |
| 235. | <b>Lark Sparrow</b>               | <b>0.0567%</b> |

|      |                                    |                |
|------|------------------------------------|----------------|
| 236. | <b>Gray Partridge</b>              | <b>0.0554%</b> |
| 237. | <b>Marbled Godwit</b>              | <b>0.0554%</b> |
| 238. | <b>Tufted Duck</b>                 | <b>0.0548%</b> |
| 239. | <b>American Tree Sparrow</b>       | <b>0.0536%</b> |
| 240. | <b>Semipalmated Plover</b>         | <b>0.0493%</b> |
| 241. | <b>Yellow-bellied Sapsucker</b>    | <b>0.0480%</b> |
| 242. | <b>Emperor Goose</b>               | <b>0.0462%</b> |
| 243. | <b>Rock Sandpiper</b>              | <b>0.0443%</b> |
| 244. | <b>Northern Fulmar</b>             | <b>0.0443%</b> |
| 245. | <b>Winter Wren</b>                 | <b>0.0406%</b> |
| 246. | <b>White-throated Swift</b>        | <b>0.0363%</b> |
| 247. | <b>Sabine's Gull</b>               | <b>0.0351%</b> |
| 248. | <b>Purple Martin</b>               | <b>0.0339%</b> |
| 249. | <b>Black-footed Albatross</b>      | <b>0.0333%</b> |
| 250. | <b>Snowy Egret</b>                 | <b>0.0314%</b> |
| 251. | <b>Cassin's Auklet</b>             | <b>0.0308%</b> |
| 252. | <b>Ruff</b>                        | <b>0.0296%</b> |
| 253. | <b>Sooty Shearwater</b>            | <b>0.0296%</b> |
| 254. | <b>Red-naped Sapsucker</b>         | <b>0.0289%</b> |
| 255. | <b>Black-throated Gray Warbler</b> | <b>0.0289%</b> |
| 256. | <b>Field Sparrow</b>               | <b>0.0283%</b> |
| 257. | <b>Redpoll</b>                     | <b>0.0277%</b> |
| 258. | <b>Rose-breasted Grosbeak</b>      | <b>0.0271%</b> |
| 259. | <b>Gray Catbird</b>                | <b>0.0265%</b> |

|      |                                 |                |
|------|---------------------------------|----------------|
| 260. | <b>Pacific Golden-Plover</b>    | <b>0.0253%</b> |
| 261. | <b>Blue Jay</b>                 | <b>0.0234%</b> |
| 262. | <b>Ancient Murrelet</b>         | <b>0.0228%</b> |
| 263. | <b>Steller's Eider</b>          | <b>0.0215%</b> |
| 264. | <b>Gray-crowned Rosy-Finch</b>  | <b>0.0215%</b> |
| 265. | <b>Tundra Bean-Goose</b>        | <b>0.0209%</b> |
| 266. | <b>Fork-tailed Storm-Petrel</b> | <b>0.0209%</b> |
| 267. | <b>Western Tanager</b>          | <b>0.0209%</b> |
| 268. | <b>Allen's Hummingbird</b>      | <b>0.0203%</b> |
| 269. | <b>Gyr Falcon</b>               | <b>0.0203%</b> |
| 270. | <b>White-faced Ibis</b>         | <b>0.0197%</b> |
| 271. | <b>Yellow-billed Loon</b>       | <b>0.0179%</b> |
| 272. | <b>Laysan Albatross</b>         | <b>0.0179%</b> |
| 273. | <b>Common Grackle</b>           | <b>0.0179%</b> |
| 274. | <b>Blue-gray Gnatcatcher</b>    | <b>0.0172%</b> |
| 275. | <b>Slaty-backed Gull</b>        | <b>0.0166%</b> |
| 276. | <b>White-winged Crossbill</b>   | <b>0.0166%</b> |
| 277. | <b>Costa's Hummingbird</b>      | <b>0.0148%</b> |
| 278. | <b>Red Phalarope</b>            | <b>0.0148%</b> |
| 279. | <b>Short-tailed Shearwater</b>  | <b>0.0148%</b> |
| 280. | <b>King Eider</b>               | <b>0.0136%</b> |
| 281. | <b>Common Eider</b>             | <b>0.0136%</b> |
| 282. | <b>Swainson's Hawk</b>          | <b>0.0136%</b> |
| 283. | <b>Rusty Blackbird</b>          | <b>0.0136%</b> |

|      |                                       |                |
|------|---------------------------------------|----------------|
| 284. | <b>Bullock's Oriole</b>               | <b>0.0123%</b> |
| 285. | <b>Brewer's Sparrow</b>               | <b>0.0117%</b> |
| 286. | <b>Ruddy Turnstone</b>                | <b>0.0105%</b> |
| 287. | <b>Franklin's Gull</b>                | <b>0.0105%</b> |
| 288. | <b>American Three-toed Woodpecker</b> | <b>0.0105%</b> |
| 289. | <b>Falcated Duck</b>                  | <b>0.0092%</b> |
| 290. | <b>Tufted Puffin</b>                  | <b>0.0092%</b> |
| 291. | <b>Cave Swallow</b>                   | <b>0.0086%</b> |
| 292. | <b>Northern House Wren</b>            | <b>0.0080%</b> |
| 293. | <b>Brown Thrasher</b>                 | <b>0.0080%</b> |
| 294. | <b>Black-and-white Warbler</b>        | <b>0.0080%</b> |
| 295. | <b>Nashville Warbler</b>              | <b>0.0080%</b> |
| 296. | <b>Indigo Bunting</b>                 | <b>0.0080%</b> |
| 297. | <b>Willet</b>                         | <b>0.0074%</b> |
| 298. | <b>Lesser Black-backed Gull</b>       | <b>0.0074%</b> |
| 299. | <b>Snowy Owl</b>                      | <b>0.0074%</b> |
| 300. | <b>Magnolia Warbler</b>               | <b>0.0074%</b> |
| 301. | <b>Vaux's Swift</b>                   | <b>0.0068%</b> |
| 302. | <b>Juniper Titmouse</b>               | <b>0.0068%</b> |
| 303. | <b>Brambling</b>                      | <b>0.0068%</b> |
| 304. | <b>Lawrence's Goldfinch</b>           | <b>0.0068%</b> |
| 305. | <b>Yellow-throated Warbler</b>        | <b>0.0068%</b> |
| 306. | <b>Spotted Owl</b>                    | <b>0.0062%</b> |
| 307. | <b>Black-throated Blue Warbler</b>    | <b>0.0062%</b> |

|      |                         |         |
|------|-------------------------|---------|
| 308. | Dusky Grouse            | 0.0049% |
| 309. | Pink-footed Shearwater  | 0.0049% |
| 310. | Vermilion Flycatcher    | 0.0049% |
| 311. | Eastern Bluebird        | 0.0049% |
| 312. | Hooded Oriole           | 0.0049% |
| 313. | Wilson's Warbler        | 0.0049% |
| 314. | Common Gallinule        | 0.0043% |
| 315. | Short-billed Dowitcher  | 0.0043% |
| 316. | Horned Puffin           | 0.0043% |
| 317. | Flesh-footed Shearwater | 0.0043% |
| 318. | MacGillivray's Warbler  | 0.0043% |
| 319. | Calliope Hummingbird    | 0.0037% |
| 320. | Mountain Plover         | 0.0037% |
| 321. | Leach's Storm-Petrel    | 0.0037% |
| 322. | Grasshopper Sparrow     | 0.0037% |
| 323. | Black-headed Grosbeak   | 0.0037% |
| 324. | Parakeet Auklet         | 0.0031% |
| 325. | Black-headed Gull       | 0.0031% |
| 326. | Short-tailed Albatross  | 0.0031% |
| 327. | Manx Shearwater         | 0.0031% |
| 328. | Cassin's Vireo          | 0.0031% |
| 329. | Bank Swallow            | 0.0031% |
| 330. | Orchard Oriole          | 0.0031% |
| 331. | Hermit Warbler          | 0.0031% |

|      |                                |                |
|------|--------------------------------|----------------|
| 332. | <b>Smew</b>                    | <b>0.0025%</b> |
| 333. | <b>Spruce Grouse</b>           | <b>0.0025%</b> |
| 334. | <b>White-winged Dove</b>       | <b>0.0025%</b> |
| 335. | <b>Common Poorwill</b>         | <b>0.0025%</b> |
| 336. | <b>Wandering Tattler</b>       | <b>0.0025%</b> |
| 337. | <b>Baird's Sandpiper</b>       | <b>0.0025%</b> |
| 338. | <b>Murphy's Petrel</b>         | <b>0.0025%</b> |
| 339. | <b>Red-bellied Woodpecker</b>  | <b>0.0025%</b> |
| 340. | <b>Tropical Kingbird</b>       | <b>0.0025%</b> |
| 341. | <b>Western Kingbird</b>        | <b>0.0025%</b> |
| 342. | <b>Yellow Warbler</b>          | <b>0.0025%</b> |
| 343. | <b>Heermann's Gull</b>         | <b>0.0019%</b> |
| 344. | <b>Common Tern</b>             | <b>0.0019%</b> |
| 345. | <b>Western Cattle-Egret</b>    | <b>0.0019%</b> |
| 346. | <b>Crested Caracara</b>        | <b>0.0019%</b> |
| 347. | <b>Sedge Wren</b>              | <b>0.0019%</b> |
| 348. | <b>California Thrasher</b>     | <b>0.0019%</b> |
| 349. | <b>Little Bunting</b>          | <b>0.0019%</b> |
| 350. | <b>Ovenbird</b>                | <b>0.0019%</b> |
| 351. | <b>Northern Waterthrush</b>    | <b>0.0019%</b> |
| 352. | <b>American Black Duck</b>     | <b>0.0012%</b> |
| 353. | <b>Wilson's Phalarope</b>      | <b>0.0012%</b> |
| 354. | <b>Red-necked Phalarope</b>    | <b>0.0012%</b> |
| 355. | <b>Magnificent Frigatebird</b> | <b>0.0012%</b> |

|      |                                  |                |
|------|----------------------------------|----------------|
| 356. | <b>Little Blue Heron</b>         | <b>0.0012%</b> |
| 357. | <b>White Wagtail</b>             | <b>0.0012%</b> |
| 358. | <b>McKay's Bunting</b>           | <b>0.0012%</b> |
| 359. | <b>Yellow-breasted Chat</b>      | <b>0.0012%</b> |
| 360. | <b>Tennessee Warbler</b>         | <b>0.0012%</b> |
| 361. | <b>Northern Parula</b>           | <b>0.0012%</b> |
| 362. | <b>Painted Bunting</b>           | <b>0.0012%</b> |
| 363. | <b>Sharp-tailed Grouse</b>       | <b>0.0006%</b> |
| 364. | <b>Pectoral Sandpiper</b>        | <b>0.0006%</b> |
| 365. | <b>Cocos Booby</b>               | <b>0.0006%</b> |
| 366. | <b>Northern Hawk Owl</b>         | <b>0.0006%</b> |
| 367. | <b>Hammond's Flycatcher</b>      | <b>0.0006%</b> |
| 368. | <b>Western Flycatcher</b>        | <b>0.0006%</b> |
| 369. | <b>Eastern Phoebe</b>            | <b>0.0006%</b> |
| 370. | <b>Lucy's Warbler</b>            | <b>0.0006%</b> |
| 371. | <b>Summer Tanager</b>            | <b>0.0006%</b> |
| 372. | <b>Lazuli Bunting</b>            | <b>0.0006%</b> |
| 373. | <b>Dickcissel</b>                | <b>0.0006%</b> |
| 374. | <b>Black-chinned Hummingbird</b> | <b>0.0000%</b> |
| 375. | <b>American Golden-Plover</b>    | <b>0.0000%</b> |
| 376. | <b>Spotted Redshank</b>          | <b>0.0000%</b> |
| 377. | <b>Pomarine Jaeger</b>           | <b>0.0000%</b> |
| 378. | <b>Thick-billed Murre</b>        | <b>0.0000%</b> |
| 379. | <b>Ross's Gull</b>               | <b>0.0000%</b> |



|      |                         |         |
|------|-------------------------|---------|
| 380. | Red-legged Kittiwake    | 0.0000% |
| 381. | Black Tern              | 0.0000% |
| 382. | Forster's Tern          | 0.0000% |
| 383. | Wedge-tailed Shearwater | 0.0000% |
| 384. | Black Rosy-Finch        | 0.0000% |
| 385. | Rustic Bunting          | 0.0000% |
| 386. | Baltimore Oriole        | 0.0000% |

EXOTIC: ESCAPEE

|                       |                   |
|-----------------------|-------------------|
| Muscovy Duck          | 0.0961% frequency |
| Graylag Goose         | 0.0616%           |
| Mandarin Duck         | 0.0419%           |
| Mute Swan             | 0.0320%           |
| Swan Goose            | 0.0240%           |
| Indian Peafowl        | 0.0228%           |
| Black Swan            | 0.0025%           |
| Red Junglefowl        | 0.0012%           |
| Helmeted Guineafowl   | 0.0006%           |
| Monk Parakeet         | 0.0006%           |
| European Goldfinch    | 0.0006%           |
| Egyptian Goose        | 0.0000%           |
| Reeves's Pheasant     | 0.0000%           |
| African Collared-Dove | 0.0000%           |
| Harris's Hawk         | 0.0000%           |

HYBRIDS

|                                                  |                                             |
|--------------------------------------------------|---------------------------------------------|
| Western x Glaucous-winged Gull (hybrid)          | 0.9310% frequency<br><div><div></div></div> |
| Eurasian x American Wigeon (hybrid)              | 0.1219%<br><div><div></div></div>           |
| American Herring x Glaucous-winged Gull (hybrid) | 0.0400%<br><div><div></div></div>           |
| Domestic goose sp. x Canada Goose (hybrid)       | 0.0191%<br><div><div></div></div>           |
| Red-naped x Red-breasted Sapsucker (hybrid)      | 0.0123%<br><div><div></div></div>           |
| Common x Barrow's Goldeneye (hybrid)             | 0.0111%<br><div><div></div></div>           |
| Glaucous x Glaucous-winged Gull (hybrid)         | 0.0111%<br><div><div></div></div>           |
| Graylag x Canada Goose (hybrid)                  | 0.0086%<br><div><div></div></div>           |
| Blue-winged x Cinnamon Teal (hybrid)             | 0.0074%<br><div><div></div></div>           |
| Rufous x Allen's Hummingbird (hybrid)            | 0.0074%<br><div><div></div></div>           |
| Gadwall x Mallard (hybrid)                       | 0.0049%<br><div><div></div></div>           |
| Mallard x Northern Pintail (hybrid)              | 0.0031%<br><div><div></div></div>           |
| Canvasback x Redhead (hybrid)                    | 0.0031%<br><div><div></div></div>           |
| Common Goldeneye x Hooded Merganser (hybrid)     | 0.0031%<br><div><div></div></div>           |
| Western x Clark's Grebe (hybrid)                 | 0.0031%<br><div><div></div></div>           |
| Anna's x Costa's Hummingbird (hybrid)            | 0.0025%<br><div><div></div></div>           |
| Swan Goose x Canada Goose (hybrid)               | 0.0019%<br><div><div></div></div>           |
| Anna's x Rufous Hummingbird (hybrid)             | 0.0019%<br><div><div></div></div>           |
| Snow x Ross's Goose (hybrid)                     | 0.0012%<br><div><div></div></div>           |
| Greater White-fronted x Cackling Goose (hybrid)  | 0.0012%<br><div><div></div></div>           |
| Greater White-fronted x Canada Goose (hybrid)    | 0.0012%<br><div><div></div></div>           |
| Blue-winged Teal x Northern Shoveler (hybrid)    | 0.0012%<br><div><div></div></div>           |
| American Wigeon x Mallard (hybrid)               | 0.0012%<br><div><div></div></div>           |

|                                                 |                |
|-------------------------------------------------|----------------|
| American Herring x Glaucous Gull (hybrid)       | <b>0.0012%</b> |
| Black-capped x Mountain Chickadee (hybrid)      | <b>0.0012%</b> |
| Tufted Duck x Greater Scaup (hybrid)            | <b>0.0006%</b> |
| Ring-necked Duck x Lesser Scaup (hybrid)        | <b>0.0006%</b> |
| Ring-necked Duck x scaup sp. (hybrid)           | <b>0.0006%</b> |
| Tufted Duck x scaup sp. (hybrid)                | <b>0.0006%</b> |
| White-crowned x Golden-crowned Sparrow (hybrid) | <b>0.0006%</b> |
| White-crowned x White-throated Sparrow (hybrid) | <b>0.0006%</b> |
| Graylag x Swan Goose (hybrid)                   | <b>0.0000%</b> |