



Target Species

Based on 236,933 complete checklists

440 species observed in Oregon, US (region/US-OR) in **May** that you need for your **Oregon Life List**

1. American Robin	49.59% frequency
2. Song Sparrow	40.43%
3. American Crow	32.53%
4. European Starling	32.32%
5. Red-winged Blackbird	31.66%
6. Spotted Towhee	29.25%
7. Mallard	28.62%
8. Black-headed Grosbeak	28.14%
9. Northern Flicker	25.46%
10. Canada Goose	24.97%
11. Tree Swallow	24.84%
12. Turkey Vulture	23.98%
13. Violet-green Swallow	23.71%
14. Barn Swallow	23.24%
15. American Goldfinch	23.17%
16. House Finch	22.83%
17. Brown-headed Cowbird	22.49%
18. Mourning Dove	21.82%
19. Dark-eyed Junco	21.73%

20.	Black-capped Chickadee	21.51%
21.	Wilson's Warbler	21.43%
22.	California Scrub-Jay	20.84%
23.	Steller's Jay	20.58%
24.	Western Tanager	18.37%
25.	Common Raven	17.91%
26.	Anna's Hummingbird	17.19%
27.	Common Yellowthroat	16.54%
28.	Brewer's Blackbird	16.38%
29.	Lesser Goldfinch	15.86%
30.	Killdeer	15.69%
31.	White-crowned Sparrow	15.60%
32.	Yellow Warbler	15.56%
33.	Red-tailed Hawk	15.13%
34.	Orange-crowned Warbler	14.80%
35.	Red-breasted Nuthatch	14.47%
36.	Eurasian Collared-Dove	14.22%
37.	Great Blue Heron	14.12%
38.	Bewick's Wren	13.87%
39.	Yellow-rumped Warbler	13.58%
40.	House Sparrow	12.45%
41.	Western Wood-Pewee	12.39%
42.	Warbling Vireo	12.25%
43.	Cliff Swallow	11.89%

44. Cedar Waxwing	11.71%
45. Gadwall	11.57%
46. Bushtit	10.91%
47. Bald Eagle	10.83%
48. Vaux's Swift	10.81%
49. Purple Finch	10.80%
50. Osprey	10.59%
51. Chestnut-backed Chickadee	10.43%
52. Western Meadowlark	10.36%
53. Northern House Wren	10.13%
54. Swainson's Thrush	9.90%
55. Evening Grosbeak	9.47%
56. Pine Siskin	9.35%
57. Downy Woodpecker	9.35%
58. Bullock's Oriole	9.22%
59. Cinnamon Teal	9.18%
60. Savannah Sparrow	9.08%
61. California Quail	8.88%
62. Western Flycatcher	8.66%
63. Rufous Hummingbird	8.66%
64. Lazuli Bunting	8.23%
65. Band-tailed Pigeon	7.78%
66. Spotted Sandpiper	7.78%
67. Brown Creeper	7.70%

68.	American Coot	7.70%
69.	Northern Shoveler	7.67%
70.	Black-throated Gray Warbler	7.02%
71.	American Kestrel	6.71%
72.	Chipping Sparrow	6.61%
73.	Yellow-headed Blackbird	6.31%
74.	Pacific Wren	6.23%
75.	Marsh Wren	6.23%
76.	Hairy Woodpecker	6.19%
77.	Double-crested Cormorant	6.18%
78.	Western Kingbird	6.16%
79.	Wood Duck	6.13%
80.	Red-breasted Sapsucker	6.05%
81.	White-breasted Nuthatch	5.86%
82.	Hermit Warbler	5.82%
83.	Pied-billed Grebe	5.77%
84.	Black-billed Magpie	5.31%
85.	Northern Rough-winged Swallow	5.26%
86.	Mountain Chickadee	5.25%
87.	Great Egret	5.14%
88.	Northern Harrier	4.85%
89.	MacGillivray's Warbler	4.73%
90.	Acorn Woodpecker	4.54%
91.	Western Gull	4.50%

92.	Golden-crowned Sparrow	4.25%
93.	Bufflehead	4.25%
94.	Rock Pigeon	4.20%
95.	Olive-sided Flycatcher	4.16%
96.	Cassin's Vireo	4.07%
97.	Western Bluebird	4.01%
98.	Green-winged Teal	3.96%
99.	Ruddy Duck	3.94%
100.	Ring-necked Duck	3.94%
101.	Townsend's Warbler	3.83%
102.	Belted Kingfisher	3.74%
103.	Yellow-breasted Chat	3.74%
104.	Ring-necked Pheasant	3.64%
105.	Pileated Woodpecker	3.59%
106.	American White Pelican	3.50%
107.	Golden-crowned Kinglet	3.49%
108.	Hammond's Flycatcher	3.46%
109.	Sora	3.28%
110.	Purple Martin	3.25%
111.	American Wigeon	3.15%
112.	Wilson's Phalarope	3.05%
113.	Northern Pintail	3.02%
114.	White-faced Ibis	2.99%
115.	Western Grebe	2.93%

116.	Ring-billed Gull	2.87%
117.	Lesser Scaup	2.87%
118.	Redhead	2.86%
119.	Caspian Tern	2.85%
120.	Cassin's Finch	2.83%
121.	Common Merganser	2.80%
122.	Wrentit	2.74%
123.	Sandhill Crane	2.71%
124.	Red Crossbill	2.70%
125.	Pelagic Cormorant	2.68%
126.	Wilson's Snipe	2.68%
127.	Least Sandpiper	2.66%
128.	Willet	2.64%
129.	Nashville Warbler	2.62%
130.	Virginia Rail	2.59%
131.	Hermit Thrush	2.59%
132.	Black-necked Stilt	2.57%
133.	Pygmy Nuthatch	2.57%
134.	California Gull	2.47%
135.	Western Sandpiper	2.46%
136.	Dusky Flycatcher	2.45%
137.	Great Horned Owl	2.43%
138.	Long-billed Dowitcher	2.36%
139.	Hutton's Vireo	2.35%

140.	Whimbrel	2.33%
141.	Wild Turkey	2.24%
142.	Willow Flycatcher	2.16%
143.	Ruby-crowned Kinglet	2.10%
144.	Pigeon Guillemot	2.09%
145.	American Avocet	2.06%
146.	Cooper's Hawk	2.04%
147.	Ash-throated Flycatcher	2.00%
148.	Forster's Tern	1.93%
149.	Blue-winged Teal	1.88%
150.	Greater Yellowlegs	1.88%
151.	Say's Phoebe	1.87%
152.	Mountain Bluebird	1.86%
153.	Black Phoebe	1.84%
154.	Red-necked Phalarope	1.84%
155.	American Bittern	1.79%
156.	Bank Swallow	1.73%
157.	Swainson's Hawk	1.73%
158.	Dunlin	1.72%
159.	Common Murre	1.72%
160.	Long-billed Curlew	1.72%
161.	Rock Wren	1.70%
162.	Surf Scoter	1.68%
163.	Eared Grebe	1.65%

164.	Semipalmated Plover	1.64% 
165.	Gray Flycatcher	1.63% 
166.	Glaucous-winged Gull	1.61% 
167.	Franklin's Gull	1.59% 
168.	Horned Lark	1.57% 
169.	Brown Pelican	1.56% 
170.	Black Tern	1.54% 
171.	Lark Sparrow	1.48% 
172.	Green Heron	1.47% 
173.	Brandt's Cormorant	1.46% 
174.	Vesper Sparrow	1.46% 
175.	Brewer's Sparrow	1.46% 
176.	Common Loon	1.45% 
177.	Hooded Merganser	1.44% 
178.	Townsend's Solitaire	1.44% 
179.	Lewis's Woodpecker	1.37% 
180.	Varied Thrush	1.30% 
181.	Clark's Grebe	1.16% 
182.	Sage Thrasher	1.15% 
183.	Calliope Hummingbird	1.13% 
184.	Black Oystercatcher	1.13% 
185.	Canada Jay	1.12% 
186.	Black-chinned Hummingbird	1.11% 
187.	Mountain Quail	1.10% 

188.	Cackling Goose	1.10%
189.	Canvasback	1.05%
190.	Greater White-fronted Goose	1.01%
191.	Loggerhead Shrike	0.9977%
192.	Pacific Loon	0.9657%
193.	Green-tailed Towhee	0.9475%
194.	Red-shouldered Hawk	0.9425%
195.	Bonaparte's Gull	0.9100%
196.	Golden Eagle	0.9045%
197.	Lincoln's Sparrow	0.9015%
198.	Black-crowned Night Heron	0.8716%
199.	American Dipper	0.8580%
200.	Peregrine Falcon	0.8433%
201.	Fox Sparrow	0.8391%
202.	Sharp-shinned Hawk	0.8213%
203.	Canyon Wren	0.8205%
204.	Sooty Grouse	0.7466%
205.	Eastern Kingbird	0.7297%
206.	Prairie Falcon	0.7167%
207.	White-headed Woodpecker	0.6825%
208.	Black-bellied Plover	0.6740%
209.	Common Nighthawk	0.6593%
210.	Oak Titmouse	0.6297%
211.	Clark's Nutcracker	0.6196%

212.	Williamson's Sapsucker	0.6116%
213.	Trumpeter Swan	0.5989%
214.	Sanderling	0.5883%
215.	Ferruginous Hawk	0.5770%
216.	Greater Scaup	0.5326%
217.	Chukar	0.5179%
218.	Northern Pygmy-Owl	0.5149%
219.	Barred Owl	0.5039%
220.	Blue-gray Gnatcatcher	0.5001%
221.	Harlequin Duck	0.4896%
222.	Ruffed Grouse	0.4748%
223.	Pinyon Jay	0.4693%
224.	Rhinoceros Auklet	0.4647%
225.	White-throated Swift	0.4592%
226.	Bobolink	0.4465%
227.	Red-necked Grebe	0.4284%
228.	California Towhee	0.4275%
229.	Short-billed Dowitcher	0.4140%
230.	Red-throated Loon	0.4090%
231.	Tufted Puffin	0.4060%
232.	Sagebrush Sparrow	0.3803%
233.	White-winged Scoter	0.3756%
234.	Common Goldeneye	0.3647%
235.	American Pipit	0.3621%

236.	Red-breasted Merganser	0.3604%
237.	Sooty Shearwater	0.3550%
238.	Red-naped Sapsucker	0.3410%
239.	Brant	0.3309%
240.	Marbled Godwit	0.3237%
241.	Marbled Murrelet	0.3203%
242.	Horned Grebe	0.3073%
243.	Grasshopper Sparrow	0.3064%
244.	Burrowing Owl	0.3052%
245.	Western Screech-Owl	0.3043%
246.	Snowy Plover	0.2933%
247.	Snow Goose	0.2929%
248.	Red Knot	0.2921%
249.	Lesser Yellowlegs	0.2870%
250.	Common Poorwill	0.2862%
251.	Black-backed Woodpecker	0.2811%
252.	Solitary Sandpiper	0.2786%
253.	Barrow's Goldeneye	0.2722%
254.	White-throated Sparrow	0.2705%
255.	Short-eared Owl	0.2684%
256.	American Barn Owl	0.2672%
257.	Tricolored Blackbird	0.2338%
258.	Wandering Tattler	0.2317%
259.	Ruddy Turnstone	0.2245%

260.	Great-tailed Grackle	0.2140%
261.	Fork-tailed Storm-Petrel	0.2110%
262.	Snowy Egret	0.2110%
263.	Black-footed Albatross	0.2085%
264.	Black-throated Sparrow	0.2081%
265.	Short-billed Gull	0.1912%
266.	Tundra Swan	0.1866%
267.	Great Gray Owl	0.1701%
268.	Northern Mockingbird	0.1655%
269.	Sabine's Gull	0.1557%
270.	Black Turnstone	0.1540%
271.	American Herring Gull	0.1532%
272.	Northern Saw-whet Owl	0.1528%
273.	Leach's Storm-Petrel	0.1524%
274.	Gray Catbird	0.1460%
275.	Black Scoter	0.1321%
276.	Eurasian Wigeon	0.1262%
277.	Flammulated Owl	0.1169%
278.	Merlin	0.1131%
279.	American Goshawk	0.0954%
280.	Northern Fulmar	0.0928%
281.	Black Swift	0.0903%
282.	Red Phalarope	0.0882%
283.	Cassin's Auklet	0.0865%

284.	Murphy's Petrel	0.0802%
285.	Parasitic Jaeger	0.0772%
286.	Pink-footed Shearwater	0.0718%
287.	Rose-breasted Grosbeak	0.0709%
288.	Least Flycatcher	0.0705%
289.	Ross's Goose	0.0667%
290.	Long-eared Owl	0.0612%
291.	Gray Partridge	0.0557%
292.	Black-and-white Warbler	0.0523%
293.	Yellow Rail	0.0519%
294.	Surfbird	0.0502%
295.	White-tailed Kite	0.0502%
296.	Semipalmated Sandpiper	0.0485%
297.	American Redstart	0.0447%
298.	Long-tailed Jaeger	0.0439%
299.	Harris's Sparrow	0.0439%
300.	Red-eyed Vireo	0.0430%
301.	Greater Sage-Grouse	0.0422%
302.	Veery	0.0422%
303.	American Three-toed Woodpecker	0.0414%
304.	Arctic Tern	0.0405%
305.	Pectoral Sandpiper	0.0376%
306.	Costa's Hummingbird	0.0333%
307.	Bar-tailed Godwit	0.0333%

308.	Western Cattle-Egret	0.0333%
309.	Pacific Golden-Plover	0.0321%
310.	Northern Waterthrush	0.0321%
311.	Long-tailed Duck	0.0312%
312.	Blue Grosbeak	0.0295%
313.	Garganey	0.0291%
314.	Hudsonian Godwit	0.0287%
315.	Common Tern	0.0287%
316.	Spotted Owl	0.0283%
317.	Laysan Albatross	0.0279%
318.	Dusky Grouse	0.0266%
319.	Eastern Phoebe	0.0262%
320.	Black-legged Kittiwake	0.0241%
321.	Baird's Sandpiper	0.0232%
322.	Scissor-tailed Flycatcher	0.0232%
323.	Heermann's Gull	0.0220%
324.	Allen's Hummingbird	0.0215%
325.	Glaucous Gull	0.0215%
326.	Emperor Goose	0.0198%
327.	Tennessee Warbler	0.0198%
328.	Iceland Gull	0.0194%
329.	Pomarine Jaeger	0.0169%
330.	Gray-crowned Rosy-Finch	0.0160%
331.	Juniper Titmouse	0.0135%

332.	Hooded Oriole	0.0135%
333.	Orchard Oriole	0.0131%
334.	Ovenbird	0.0122%
335.	Laughing Gull	0.0118%
336.	Lapland Longspur	0.0118%
337.	Clay-colored Sparrow	0.0114%
338.	Northern Parula	0.0114%
339.	Hooded Warbler	0.0110%
340.	Magnolia Warbler	0.0110%
341.	California Thrasher	0.0105%
342.	Indigo Bunting	0.0101%
343.	Palm Warbler	0.0093%
344.	Rough-legged Hawk	0.0089%
345.	Summer Tanager	0.0089%
346.	Yellow-billed Loon	0.0084%
347.	Blackpoll Warbler	0.0084%
348.	South Polar Skua	0.0076%
349.	Hawaiian Petrel	0.0076%
350.	Blue Jay	0.0072%
351.	Little Stint	0.0068%
352.	Chestnut-sided Warbler	0.0068%
353.	Stilt Sandpiper	0.0063%
354.	Lesser Black-backed Gull	0.0063%
355.	White-winged Dove	0.0059%

356.	White-rumped Sandpiper	0.0059%
357.	Least Tern	0.0059%
358.	Broad-winged Hawk	0.0059%
359.	Common Grackle	0.0059%
360.	Spruce Grouse	0.0055%
361.	Manx Shearwater	0.0055%
362.	Pine Grosbeak	0.0055%
363.	Baltimore Oriole	0.0055%
364.	Bristle-thighed Curlew	0.0051%
365.	Upland Sandpiper	0.0042%
366.	Parakeet Auklet	0.0042%
367.	Snow Bunting	0.0042%
368.	Black-throated Blue Warbler	0.0042%
369.	American Tree Sparrow	0.0038%
370.	American Golden-Plover	0.0034%
371.	Lawrence's Goldfinch	0.0034%
372.	Ancient Murrelet	0.0030%
373.	Flesh-footed Shearwater	0.0030%
374.	Short-tailed Shearwater	0.0030%
375.	Eastern Wood-Pewee	0.0030%
376.	Plumbeous Vireo	0.0030%
377.	Canada Warbler	0.0030%
378.	Broad-tailed Hummingbird	0.0025%
379.	Horned Puffin	0.0025%

380.	Little Gull	0.0025%
381.	Elegant Tern	0.0025%
382.	Swamp Sparrow	0.0025%
383.	Tundra Bean-Goose	0.0017%
384.	Tufted Duck	0.0017%
385.	Common Gallinule	0.0017%
386.	Arctic Loon	0.0017%
387.	Ashy Storm-Petrel	0.0017%
388.	Cook's Petrel	0.0013%
389.	Bell's Vireo	0.0013%
390.	White-winged Crossbill	0.0013%
391.	Prothonotary Warbler	0.0013%
392.	Cape May Warbler	0.0013%
393.	Yellow-throated Warbler	0.0013%
394.	Black-throated Green Warbler	0.0013%
395.	Yellow-billed Cuckoo	0.0008%
396.	Wilson's Plover	0.0008%
397.	Rock Sandpiper	0.0008%
398.	Glossy Ibis	0.0008%
399.	Least Bittern	0.0008%
400.	Black Vulture	0.0008%
401.	Blue-headed Vireo	0.0008%
402.	Northern Shrike	0.0008%
403.	Sedge Wren	0.0008%

404.	Wood Thrush	0.0008%
405.	Field Sparrow	0.0008%
406.	Mourning Warbler	0.0008%
407.	Bay-breasted Warbler	0.0008%
408.	Blackburnian Warbler	0.0008%
409.	Ruff	0.0004%
410.	Thick-billed Murre	0.0004%
411.	Scripps's Murrelet	0.0004%
412.	Short-tailed Albatross	0.0004%
413.	Mottled Petrel	0.0004%
414.	Cocos Booby	0.0004%
415.	Little Blue Heron	0.0004%
416.	Tricolored Heron	0.0004%
417.	Brown Thrasher	0.0004%
418.	Bohemian Waxwing	0.0004%
419.	Lark Bunting	0.0004%
420.	LeConte's Sparrow	0.0004%
421.	Virginia's Warbler	0.0004%
422.	Scarlet Tanager	0.0004%
423.	Dickcissel	0.0004%
424.	Eastern Whip-poor-will	0.0000%
425.	Chimney Swift	0.0000%
426.	Sharp-tailed Sandpiper	0.0000%
427.	Red-billed Tropicbird	0.0000%

428.	Wilson's Storm-Petrel	0.0000%
429.	Magnificent Frigatebird	0.0000%
430.	Red-footed Booby	0.0000%
431.	White Ibis	0.0000%
432.	Gyr Falcon	0.0000%
433.	Alder Flycatcher	0.0000%
434.	Philadelphia Vireo	0.0000%
435.	Phainopepla	0.0000%
436.	Chestnut-collared Longspur	0.0000%
437.	Black-chinned Sparrow	0.0000%
438.	Blue-winged Warbler	0.0000%
439.	Kentucky Warbler	0.0000%
EXOTIC: PROVISIONAL		
440.	White-tailed Ptarmigan	0.0004% frequency
EXOTIC: ESCAPEE		
	Muscovy Duck	0.0608% frequency
	Indian Peafowl	0.0397%
	Mute Swan	0.0266%
	Graylag Goose	0.0262%
	Mandarin Duck	0.0165%
	Swan Goose	0.0084%
	Red Junglefowl	0.0068%
	Northern Bobwhite	0.0063%
	Black Swan	0.0008%

Helmeted Guineafowl	0.0008%
Budgerigar	0.0008%
Gambel's Quail	0.0004%
African Collared-Dove	0.0004%
Monk Parakeet	0.0004%
Zebra Finch	0.0004%
Bar-headed Goose	0.0000%
European Goldfinch	0.0000%
Sharp-tailed Grouse	0.0000%

HYBRIDS

Western x Glaucous-winged Gull (hybrid)	0.3191% frequency
Red-naped x Red-breasted Sapsucker (hybrid)	0.1051%
Rufous x Allen's Hummingbird (hybrid)	0.0258%
Blue-winged x Cinnamon Teal (hybrid)	0.0232%
Domestic goose sp. x Canada Goose (hybrid)	0.0228%
Townsend's x Hermit Warbler (hybrid)	0.0181%
Eurasian x American Wigeon (hybrid)	0.0097%
Graylag x Canada Goose (hybrid)	0.0089%
Western x Clark's Grebe (hybrid)	0.0059%
Blue-winged Teal x Northern Shoveler (hybrid)	0.0046%
Glaucous x Glaucous-winged Gull (hybrid)	0.0030%
Canvasback x Redhead (hybrid)	0.0025%
White-crowned x Golden-crowned Sparrow (hybrid)	0.0025%

Muscovy Duck x Mallard (hybrid)	0.0013%
Gadwall x Mallard (hybrid)	0.0013%
Black-chinned x Anna's Hummingbird (hybrid)	0.0013%
Rose-breasted x Black-headed Grosbeak (hybrid)	0.0013%
Lazuli x Indigo Bunting (hybrid)	0.0013%
Greater White-fronted x Canada Goose (hybrid)	0.0008%
Mallard x Northern Pintail (hybrid)	0.0008%
Anna's x Rufous Hummingbird (hybrid)	0.0008%
Barn x Cliff Swallow (hybrid)	0.0008%
White-crowned x White-throated Sparrow (hybrid)	0.0008%
Greater White-fronted x Cackling Goose (hybrid)	0.0004%
Swan Goose x Canada Goose (hybrid)	0.0004%
Snow x Canada Goose (hybrid)	0.0004%
Cinnamon Teal x Northern Shoveler (hybrid)	0.0004%
Cinnamon x Green-winged Teal (hybrid)	0.0004%
Mallard x Green-winged Teal (hybrid)	0.0004%
Tufted Duck x Greater Scaup (hybrid)	0.0004%
Common x Barrow's Goldeneye (hybrid)	0.0004%
Barrow's Goldeneye x Hooded Merganser (hybrid)	0.0004%
Eurasian Collared-Dove x Mourning Dove (hybrid)	0.0004%
American Herring x Glaucous-winged Gull (hybrid)	0.0004%
Snow x Ross's Goose (hybrid)	0.0000%

Spotted x Barred Owl (hybrid)	0.0000%
Black x Eastern Phoebe (hybrid)	0.0000%
Golden-crowned x White-throated Sparrow (hybrid)	0.0000%
Graylag x Swan Goose (hybrid)	0.0000%